( MI o	<b>S</b>	•				
PTO-1449767	Cor	. Department of nmerce ent and Trademark Office	ATTY. DOCKET: 2002834-0232	IN RE APPLICA 10/728,32	TION NO.:	
(REV. 6-65)		APPLICANT: Capl				
SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)		FILING DATE: December 4, 2003	GROUP: 1644			
U.S. PATENT	DOCUMENTS		<u> </u>	······································		
Examiner's Initials	U.S. Patent No.	Applicant	Issue Date	Class	Subclass	
Dik.	*6,486,311	Burks, Jr. et al.	November 26, 2002	536	23.6	
Pol	*5,328,991	Kuo	July 12, 1994	530	403	
	APPLICATIONS			•		
Examiner's Initials:	Serial Number:	Applicant:	Publication Date:	Group:	Art Unit:	
	TENT DOCUME	<u> </u>	T	J		
Examiner's Initials	Document No.	Country	Date	Translatio Yes	No	
Pat	*EP 0 819 763	Europe	21 January 1998			
OTHER DOC	JMENTS	<u> </u>				
Examiner's Initials	Citation (Includ	ing Author, Title, Date, Pe	rtinent Pages, Etc.)	. <u> </u>		
Part		'Various Factors (Allergen uence the Immune Respons				
	Escherichia Col (Anti-LT) Intes	*Evans, et al., "Non-Replicating Oral Whole Cell Vaccine Protective Against Enterotoxigenic Escherichia Coli (ETEC) Diarrhea: Stimuation of Anti-CFA (CFA/I) and Anti-Enterotoxin (Anti-LT) Intestinal IgA and Protection Against Challenge with ETEC Belonging to Heterologous Serotypes", FEMS Microbiology Immunology, 47: 117-126, 1988.				
	*Gotlieb, "Scie	ntists Develop Vaccine Stra	ategy for Peanut Allerg	y", <i>BMJ</i> , <b>318</b> : 89	94, 1999.	
V		Conversion of the Major B c T Cell Epitope-Containin				
EXAMINER	11.1/		DATE CONS	SIDERED	Mos	
EXAMINER: 1	nitial if citation co	nsidered, whether or not cit	ation is in conformance	e with MPEP 60	9; Draw line	

U.S. Department of ATTY. DOCKET: IN RE PTO-1449 Commerce APPLICATION NO.: 2002834-0232 10/728,323 (REV. 8-83) Patent and Trademark Office APPLICANT: Caplan SUPPLEMENTAL GROUP: FILING DATE: INFORMATION DISCLOSURE STATEMENT December 4, 2003 1644 (Use several sheets if necessary) through citation if not in conformance and not considered. Include copy of this form with next communication to

through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

OIPE 10,8

PTO-1449	U.S. I	Department of	ATTY. DOCKET:	IN RE	TIONING
PTO-1449 U.S. Department of Commerce (REV. 8-83) Patent and Trademark Office		2002834-0232	APPLICATION NO.:		
		APPLICANT: Caplan			
SUPPLEMEN	JTAI.		FILING DATE:	GROUP:	1644
	ON DISCLOSURE	STATEMENT	December 4, 2003	GROOF.	10 <del>74</del>
	veral sheets if necess		December 4, 2003		
	·				
U.S. PATENT	DOCUMENTS				
Examiner's	U.S. Patent No.	Applicant	Issue Date	Class	Subclass
Initials					
Park	*6,221,648	Le Page et al.	April 24, 2001	435	252.3
	*5,888,799	Curinaplicati	March 30, 1999	435	252.3
	*5,834,246	Holmgren et al.	November 10, 1998	435	69.7
$\overline{}$	*5,830,463	Duke et al malicat	November 3, 1998	424	93.51
U.S. PATENT	APPLICATIONS			_ •	
Examiner's Initials:	Serial Number:	Applicant:	Publication Date:	Group:	Art Unit:
FOREIGN PA	TENT DOCUMEN	rs			
Examiner's	Document No. Country Date Translation				n
Initials				Yes	No
< polit	*WO 99/38978	International	05 August 1999		
PNX	*WO 98/23763	International	04 June 1998		
OTHER DOC	UMENTS				
Examiner's Initials	Citation (Includin	g Author, Title, Date, Per	rtinent Pages, Etc.)		
Polt	*Banks, et al., "C Hymenoptera, 329	•	ogy of Honey-Bee Venom	", Venoms of t	the
		V Strategies for Combinat ystem", Vaccine, 17: 164	tion Vaccines Based on th 3-1649, 1999.	e Extended Ro	ecombinant
	•	, "Development of Antig ion Pathway", <i>Gene</i> , 179	en-Delivery Systems, Bas : 133-140, 1996.	sed on the Esc	herichia Col
		ne Induced Protection Ag	ed Over Somatic Antigen l gainst Listeriosis", Proc. N		
	0 1			Marka"	

19n-X

8/2/05

U.S. Department of IN RE ATTY. DOCKET: PTO-1449 APPLICATION NO.: Commerce 2002834-0232 Patent and Trademark Office 10/728,323 (REV. 8-83) APPLICANT: Caplan SUPPLEMENTAL GROUP: 1644 FILING DATE: INFORMATION DISCLOSURE STATEMENT December 4, 2003 (Use several sheets if necessary)

**EXAMINER** 

**DATE CONSIDERED** 

EXAMINER: Initial if criation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

6	IPE						
PTO-1449 (REV. 8-83)	U.S. D. Comm	Į.	Y. DOCKET: 834-0232	IN RE APPLICATION NO.: 10/728,323			
(REV. 8-83) Patent and Trademark Office			APP	LICANT: Caplan			
SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)			1	NG DATE: ember 4, 2003	GROUP: 1644		
U.S. PATENT D	OCUMENTS						
Examiner's Initials	U.S. Patent No.	Applicant	Issue	Date	Class	Subclass	
Put	*5,820,880	Alving et al.	Octo	ber 13, 1998	424	450	
	*5,759,572	Sugimoto et al.	June	2, 1998	424	450	
U.S. PATENT A	PPLICATIONS					····	
Examiner's Initials:	Serial Number:	Applicant:	Publ	ication Date:	Group:	Art Unit:	
				<del></del>			
	ENT DOCUMENT	1	T		T	-2	
Examiner's Initials	Document No.	Country	Date		Translation		
Hillais					Yes	No	
OTHER DOCU	MENTS						
Examiner's Initials	Citation (Including	g Author, Title, Date, Per	tinent l	Pages, Etc.)			
Roll	*Koppelman, et al., "Peanut Allergen Ara h 3: Isolation from peanuts and biochemical characterization", <i>Allergy</i> , <b>58</b> : 1144-1151, 2003.						
Put	Administered in A	*Triozzi, et al., "Effects of a β-Human Chorionic Gonadotropin Subunit Immunogen Administered in Aqueous Solution with a Novel Nonionic Block Copolymer Adjuvant in Patients with Advanced Cancer", Clinical Cancer Research, 3: 2355-2362, 1997.					
EXAMINER	Tola Va		-	DATE CONSIDE	RED &	1/1/05	

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

	DIFE					
PTO-1449 JUN (REV. 8-83)	H U J ZURA W J Comm	Department of nerce and Trademark Office	• • = =	Y. DOCKET: 834-0232	IN RE APPLICAT 10/728,323	
(MEV. COS)	MARKY TO	MIN ANNUAL	APP	LICANT: Caplan, et		
	AL N DISCLOSURE S eral sheets if necessa			NG DATE: ember 4, 2003	GROUP:	
U.S. PATENT D	OCUMENTS					
Examiner's Initials	U.S. Patent No.	Applicant	Issue	Date	Class	Subclass
			<u> </u>			
U.S. PATENT A	APPLICATIONS	<del></del>	· · · · · · · · · · · · · · · · · · ·		<u> </u>	1
Examiner's Initials:	Serial Number:	Applicant:	Publi	ication Date:	Group:	Art Unit:
	ENT DOCUMENT		<del></del>		<del>- 1</del>	
Examiner's	Document No.	Country	Date		Translation	
Initials					Yes	No
Bulk	EP 0 080 806	Europe		ine 1983		
	WO 98/44096	PCT	08 O	ctober 1998		
	WO 96/14876	PCT	23 M	1ay 1996		
OTHER DOCU	MENTS					
Examiner's Initials	Citation (Including	g Author, Title, Date, Per	rtinent ]	Pages, Etc.)		
Pot	Induced Airway H	ation with Heat-Killed Lis Hyperreactivity and Inflan Hology, 164: 223-230, 200	mmatio	s Adjuvant Reverses n: Role of CD8 <sup>+</sup> T C	Established A	Allergen- 8", The
Put		terial Mucosal Vaccines" um Press, Pages 43-50, 19		etically Engineered \	/accines, Ed	ited by
EXAMINER	The Ma			DATE CONSIDE	RED	Mos
EXAMINER: Inithrough citation is applicant.	itial if ditation consi	idered, whether or not cit	ation is clude c	in conformance with opy of this form with	n MPEP 609	; Draw line unication to


	PE						
U.S. Department of Commerce  (REV. 8-83)  (REV. 8-83)  (REV. 8-83)			ATTY. DOCKET: 2002834-0232	IN RE APPLICATION NO.: 10/728,323			
			APPLICANT: Caplan,	et al.			
SUPPLEMEN			FILING DATE:	GROUP:			
	ON DISCLOSURE everal sheets if necess		December 4, 2003	(	644		
U.S. PATENT	DOCUMENTS						
Examiner's Initials	U.S. Patent No.	Applicant	Issue Date	Class	Subclass		
Park	6,218,371	Krieg et al.	April 17, 2001	514	44		
	5,061,790	Elting et al.	October 29, 1991	530	402		
	4,959,314	Mark et al.	September 25, 1990	435	69.1		
/	4,849,404	Iwai et al.	July 18, 1989	514	2		
	4,658,022	Knowles et al.	April 14, 1987	530	402		
U.S. PATENT	APPLICATIONS						
Examiner's Initials:	Serial Number:	Applicant:	Publication Date:	Group:	Art Unit:		
FOREIGN PA	TENT DOCUMEN	TS					
Examiner's	Document No.	Country	Date	Translation			
Initials				Yes	No		
OTHER DOC	UMENTS				<u> </u>		
Examiner's Initials	Citation (Including	ng Author, Title, Date, Pe	rtinent Pages, Etc.)		· · · · · · · · · · · · · · · · · · ·		
Part	Milk", J. Allergy	Clin. Immunol. 103(4): 6		_			
	Biol. 74(2): 180-1	86, 1996.	on of the Allergic Immune				
	Effect of Reducti	on and Alkylation or Deg	epitopes on Felis Domestic elycosylation of Fel d I Str				
			lfides by Tris (2-Carboxy)	ethyl) Phosph	ine", J. Org.		
<b>\</b>	Gray, et al., "Ech	istatin Disulfide Bridges:	Selective Reduction and	Linkage Assig	gnment", The		
<del>`</del>	Protein Society, 1749-1755, 1993.						

Page 1 of 2

	SIPE						
PTO-1449 /	U.S. Department of	ATTY. DOCKET:	IN RE				
( F	EB 0 2 7004 Commerce	2002834-0232	APPLICATION NO.:				
(REV. 8-83)\ <b>3</b>	Patent and Trademark Office		10/728,323				
<b>V</b>	2 marship	APPLICANT: Caplan, e	t al.				
SUPPLEMENT	AL	FILING DATE:	GROUP: /				
INFORMATIO	N DISCLOSURE STATEMENT	December 4, 2003	1644				
(Use seve	ral sheets if necessary)		(80)				
Examiner's Initials	Citation (Including Author, Title, Date, Per	tinent Pages, Etc.)					
RN	Gray, et al., "Disulfide Structures of Highly The Protein Society, 1732-1748, 1993.	Bridged Peptides: A New	Strategy for Analysis",				
	Herbert, et al., "Reduction and Alkylation of Analysis: Why, When, and How?" Electrop						
	Nakamura, et al., "Mass Spectrometric-Bas Peptide Toxin with Gamma-Carboxyglutan Textile", <i>Protein Science</i> , 5(3): 524-530, 19	nic Acid, TxVIIA, from the	•				
	Olsson, et al., "Contribution of Disulphide I Allergen of the Dust Mite Lepidoglyphus D 1998.		-				
	Smith, et al., "Localization of Antigenic Sit Mutagenesis Targeted to Predicted Surface 593-599, 1997.						
	Smith, et al., "Recombinant Allergens for In IgE Reactivity Retains T-Cell Epitopes", J.	• • • •					
	Smith, et al., "Reduction in IgE Binding to Mutagenesis: Contribution of Disulfide Bor Dust Mite Allergen Der p 2", Molecular Im	nds to the Antigenic Structu	ire of the Major House				
	Watson, et al., "Trapping and Identification Forming Proteins Based on Cyanylation, Clhttp://www.abrf.org/JBT/Articles/JBT0014/	eavage, and Analysis by M	lass Spectrometry",				
	Wu, et al., "A Novel Methodology for Assignment of Science, 6(2): 391-398, 1997.	gnment of Disulfide Bond I	Pairing in Proteins",				
<i></i>	Zhou, et al., "Assignment of Disulfide Bonds in Proteins by Partial Acid Hydrolysis and Mass Spectrometry", <i>Journal of Protein Chemistry</i> , 9(5): 523-532, 1990.						
EXAMINER	To be	DATE CONSIDE	RED Symps				
EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.							

3609531\_1.DOC

PTO-1449 (REV. 8-83)	0 2 2004 Comp	Department of nerce t and Trademark Office	ATTY. DOCKET: 2002834-0232	IN RE APPLICA' 10/728,323	TION NO.:
(	TRADE W		APPLICANT: Caplan,	<del> </del>	
SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)		FILING DATE: December 4, 2003	GROUP:	4	
U.S. PATENT	DOCUMENTS				<del> </del>
Examiner's Initials	U.S. Patent No.	Applicant	Issue Date	Class	Subclass
PSA	5,888,799	Curtiss III	March 30, 1999		
t <sub>l</sub>	5,830,463	Duke, et al.	November 3, 1998		
	5,389,368	Gurtiss III	February 14, 1995		
U.S. PATENT	APPLICATIONS				
Examiner's Initials:	Serial Number:	Applicant:	Publication Date:	Group:	Art Unit:
	TENT DOCUMEN	T ************************************			
Examiner's Initials	Document No.	Country	Date	Translati Yes	on No
RH	CA 2 158 047	Canada	15 September 1994		
1	CA 2 157 596	Canada	29 September 1994		
	JP 07095887	Japan	11 April 1995		/
	JP 06253851	Japan -	13 September 1994	- /	1
	WO 00/54803	PCT	21 September 2000	1 /	
/	WO 99/25387	PCT	27 May 1999		
<b>V</b>	WO 94/20614	PCT	15 September 1994	/	
OTHER DOC	UMENTS				
Examiner's nitials	Citation (Includin	g Author, Title, Date, Per	rtinent Pages, Etc.)		-
7~K	Immunol. 95: 607	-611, 1995.	ajor Peanut Allergen, Ara		
Pold			mino Acid Sequences of a ustifolius", <i>Plant Molecul</i>		
7	N. Y	Page 1 of	2	Anto	



SUPPLEMENTAL

INFORMATION DISCLOSURE STATEMENT

U.S. Department of Commerce

Patent and Trademark Office

ATTY. DOCKET: 2002834-0232

IN RE APPLICATION NO.:

APPLICANT: Caplan, et al.

FILING DATE:

December 4, 2003

GROUP:

10/728,323

1644

(Use se	everal sheets if necessary)						
Examiner's Initials	Citation (Including Author, Title, Date, Pertinent Pages, Etc.)						
Put	Ichikawa, et al., "Solution Structure of Der f 2, the Major Mite Allergen for Atopic Disease", J. Mol. Chem., 273: 356-360, 1998.						
	Medaglini, et al., "Mucosal and Systemic Immune Responses to a Recombinant Protein Expressed on the Surface of the Oral Commensal Bacterium Streptococcus Gordonii After Oral Colonization", Proceedings of the National Academy of Sciences of the United States of America, 92(15): 6868-6872, 1995.						
Nishiyama, et al., "Analysis of the IgE-epitope of Der f 2, a Major Mite Allergen, by Mutagenesis", Mol. Immunol., 32: 1021-1029, 1995.							
Nishiyama, et al., "Effects of Amino Acid Variations in Recombinant Der f II IgE and Mouse IgG Recognition", Int. Arch. Allergy Immunol., 105: 62-69, 19							
	Takai, et al., "Effect of Proline Mutations in the Major House Dust Mite Allergen Der f 2 on IgE-binding and Histamine-releasing Activity", Eur. J. Biochem., 267: 6650-6656, 2000.						
	Takai, et al., "Non-anaphylactic Combination of Partially Deleted Fragments of the Major House Dust Mite Allergen Der f 2 for Allergen-specific Immunotherapy", <i>Mol. Immunol.</i> , 36: 1055-1065, 1999.						
	Takai, et al., "Determination of the N- and C-terminal Sequences to Bind Human IgE of the Major House Dust Mite Allergen Der f 2 and Epitope Mapping for Monoclonal Antibodies", Mol. Immunol., 34: 255-261, 1997.						
	Takai, et al., "Engineering of the Major House Dust Mite Allergen Der f 2 for Allergen- specific Immunotherapy", Nat. Biotechnol., 15: 754-758, 1997.						
/	Vrtala, et al., "Humoral Immune Responses to Recombinant Tree Pollen Allergens (Bet v 1 and Bet v II) in Mice: Construction of a Live Oral Allergy Vaccine", <i>International Archives of Allergy and Immunology</i> , 107: (1-3): 290-294, 1995.						
EMBL Accession No. L77197 (March 1996)							

EXAMINER	19	الد	1	 _
			$\tau$	

DATE CONSIDERED

8/2/05

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

3606277\_1.DOC

Form PTO-1449 U.S. Department of Commerce

(REV. 8-83)

Atty. Docket: 2002834-0232 In re Application No.: NYA

Patent and Trademark Office

Applicants: Caplan et al.

INFORMATION DISCLOSURE STATEMENT Filing Date:

Group: -NYA

(Use several sheets if necessary)

December 4, 2003

## **ISSUED U.S. PATENTS**

	<del></del>	155022 0.5.	TAILINIO	1	<del></del>
Examiners Initials	U.S. Patent No.	Applicant	Issue Date	Class	Subclass
Put	*3,645,852	Axen, et al.	February 29, 1972	195	68
1	*3,720,760	Bennich et al.	February 7, 1984	436	51.3
	*4,171,299	Hamburger	October 16, 1979	260	112.5
	*4,338,297	Michael et al.	July 6, 1982	424	91
	*4,469,677	Michael et al.	September 4, 1984	424	91
	*4,535,010	Axen et al.	August 13, 1985	427	246
	*4,579,840	Hahn et al.	April 1, 1986	514	14
	*4,659,678	Forrest et al.	April 21, 1987	436	512
	*4,696,915	Horecker	September 29, 1987		
	*4,816,449	Hahn et al.	March 28, 1989	514	17
	*4,849,337	Calenoff et al.	July 18, 1989	435	7
	*4,900,556	Wheatley, et al.	February 13, 1990	424	450
	*5,026,545	Saint-Remy et al.	June 25, 1991		
	*5,049,390	Wojdani	September 17, 1991	424	450
	*5,091,318	Anawis et al.	February 25, 1992	436	513
	*5,169,933	Anderson et al.	December 8, 1992	531	391.3
	*5,314,991	Oka et al.	May 24, 1994	530	350
	*5,449,669	Metcalfe et al.	September 12, 1995	514	13
	*5,480,972	Avjioglu et al.	January 2, 1996	530	\379
	*5,486,452	Gordon et al.	January 23, 1996	435	\$
	*5,496,554	Oka et al.	March 5, 1996	424	276.1
	*5,543,144	Chang	August 6, 1996	424	133.1
	*5,547,669	Rogers et al.	August 20, 1996	424	185.1
	*5,558,869	Burks, Jr. et al.	September 24, 1996	424	276\1
	*5,583,046	Valenta et al.	December 10, 1996	435	320.
	*5,591,433	Michael et al.	January 7, 1997	424	184.1
	*5,597,895	Gaynor et al.	January 28, 1997	530	324
	*5,616,559	Androphy et al.	April 1, 1997	514	12
	*5,625,039	Washida et al.	April 29, 1997	530	388.25
	*5,637,454	Harley	June 10, 1997	435	5
	*5,648,242	Valenta et al.	July 15, 1997	435	69.3
V	*5,652,122	Frankel et al.	July 29, 1997	435	69.7

Express Mail. No. EV 170393633 US 3624520\_1.DOC

		ISSUED U. S. PA	TENTS (Cont.)		
Examiners Initials	U.S. Patent No.	Applicant	Issue Date	Class	Subclass
Park	*5,667,965	Androphy et al.	September 16, 1997	<b>\435</b>	5
71/	*5,670,617	Frankel et al.	September 23, 1997	\$30	300
	*5,674,980	Frankel et al.	October 7, 1997	530	350
	*5,693,495	Breiteneder et al.	December 2, 1997	435	69.3
	*5,710,126	Griffith et al.	January 20, 1998	514	12
	*5,731,157	Miller et al.	March 24, 1998	435\	7.4
	*5,736,149	Avjioglu et al.	April 7, 1998	424	275.1
	*5,747,641	Frankel et al.	May 5, 1998	530	300
	*5,773,003	Swain et al.	June 30, 1998	424	193.1
	*5,786,466	Breiteneder et al.	July 28, 1998	536	23.6
	*5,804,604	Frankel et al.	September 8, 1998	530	324
	*5,807,746	Lin et al.	September 15, 1998	435	375
	*5,820,862	Garman et al.	October 13, 1998	424	184.1
	*5,837,550	Breitenbach et al.	November 17, 1998	436	513
	*5,843,672	Morgenstern et al.,	December 1, 1998	435	7.1
	*5,843,710	Cobon et al.	December 1, 1998	435	69.1
	*5,869,040	Oin	February 9, 1999	424	93.21
	*5,888,762	Joliot et al.	March 30, 1999	435	69.1
	*5,891,716	Morgenstern et al.,	April 6, 1999	435	325
	*5,891,432	Ноо	April 6, 1999	424	93.21
	*5,939,283	Morgensterm et al.,	August 17, 1999	435	69.1\
	*5,973,121	Burks, Jr., et al.	October 26, 1999	530	370
	*5,989,814	Frankel et al.	November 23, 1999	435	6
	*5,998,583	Korsmeyer	December 7, 1999	530	350
1	*6,008,340	Ball et al.	December 28, 1999	536	23.6
V	*6,060,082	Chen et al.	May 9, 2000	424	450
		U.S. PATENT AP	PLICATIONS	-	
Examiner's Initials	Serial Number	Applicant	Filing Date	Class	Subclass
Put	*07/998,377		December 30, 1992		
	*08/158,704		November 29, 1993		
	*08/610,424		March 4, 1996		
	*09/015,657		January 28, 1999		
	*09/336,463		June 18, 1999		
	*60/009,455		December 29, 1995		
	*08/610,424		March 4, 1996		
	*08/717,933		September 23, 1996		
	*09/106,872		June 29, 1998		
$\bigvee$	*60/077,763		March 13, 1998	Valor	

	· ·	J.S. PATENT APP	LICATIONS (Cont.)		
Examiner's Initials	Serial Number	Applicant	Filing Date	Class	Subclass
My	*09/267,719		March 11, 1999		
1	*60/073,283		January 31, 1998		
	*60/074,690		February 13, 1998		
	*60/074,624		February 13, 1998	TT	
	*60/074,633		February 13, 1998		
	*09/241,101		January 29, 1999	1	
	*09/248,673		February 11, 1999	1	
	*09/248,674		February 11, 1999		
	*60/073,171		January 30, 1998		
	*09/238,448		January 28, 1999		1
	*09/090,375		June 4, 1998	1	1
	*09/141,220		August 27, 1998	1	
	*09/478,668		January 6, 2000	1	
	*09/240,557		January 29, 1999	1	
	*60/122,450		March 2, 1999	1	
	*60/112,452		March 2, 1999	1	
	*60/122,560	<u> </u>	March 2, 1999	1	(
	*60/122,565		March 2, 1999		1
	*60/122,566		March 2, 1999		1
	*09/494,096		January 28, 2000		11
	*60/090,390		June 23, 1998		
	*09/339,068		June 23, 1999		1
	*09/216,117		December 18, 1998		
	*09/247,406		February 10, 1999		
	*09/218,345		December 22, 1998		
1	*09/470,293		December 22, 1999		
	*60/124,595		March 16, 1999		1
	*60/125,071		March 17, 1999		
	*60/169,330		December 6, 1999		
	*09/455,294		December 6, 1999		1
/	*60/105,806		October 27, 1999		1
$\overline{}$	*60/122,960		March 3, 1999		1
		FOREIGN PATE	NT DOCUMENTS		
Examiner's	Document No.	Country	Date	Translation	n
Initials				Yes	No
PM	*JP 072 85875	Japan	19 April 1994		
	*EP 0684812	Europe	21 January 1998		
	*EP 0877033	Europe	11 November 1998		
/	*WO 90/04025	International	19 April 1990		
<del></del>	*WO 91/06571	International	*		
	May	Ya	0	12/05	

Examiner's	Document No.	Country	NT DOCUMENTS (Cont.)    Date	Translation
nitials	2004			
DIK	*WO 91/11718	International	8 August 1991	
17	*WO 92/02621	International	20 February 1992	
	*WO 92/03551	International	5 March 1992	
	*WO 92/11859	International	23 July 1992	
	*WO 93/21223	International	28 October 1993	
	*WO 94/23035	International	13 October 1994	
	*WO 94/05303	International	17 March 1994	
	*WO 94/10194	International	11 May 1994	
	*WO 94/24281	International		
	*WO 95/07933	International	23 March 1995	
	*WO 95/34578	International	21 December 1995	
	*WO 96/36880	International	21 November 1996	
	*WO 97/05265	International	13 February 1997	
	*WO 97/24139	International	10 July 1997	
	*WO 98/43657	International	10 August 1998	
	*WO 98/39029	International	11 September 1998	
	*WO 98/32866	International	30 July 1998	
	*WO 99/34826	International	15 July 1999	
	*WO 99/38978	International	8 May 1999	
	*WO 99/16467	International	8 April 1999	
	*WO 99/49879	International	7 October 1999	
V	*WO 99/38978	International	5 August 1999	
· · · · · · · · · · · · · · · · · · ·	*WO 01/36621	International	25 May 2001	
Examiner's		<b>O</b> 7	THER DOCUMENTS	
nitials			or, Title, Date, Pertinent P	ages, Etc.)
O.K	*AAS, et al., "Ph	ysico-Chemical Pro	perties and Specific Activity of	a Purified Allergen
Byla		Biol. Stand. <b>29</b> : 90-		
	*Aki, et al., "Immunochemical Characterization of Recombinant and Native Tropomyosins as			
	New Allergen from the House Dust Mite, Dermatophagoides Farinae", J. Allergy Clin.			
	Immunol., 96:74-83, 1995.			
	*Alenius, et al., "Prohevein from the Rubber Tree (Hevea Brasiliensis) is a Major Latex			
	Allergen," Clin. Exp. Allergy, 25(7): 659-665, 1995.			
	*Alenius, et al., "The Main IgE-Binding Epitope of a Major Latex Allergen, Prohevein, is			
	Present in its N-Terminal 43-Amino Acid Fragment, Hevein" J. Immunol. 156(4): 1618-1625,			
Į.	1996.			
			4-kD and 27-kD Natural Rubbe	
	I Children with Sn		r Congenital Anomalies", Int. A	rch. Allergy Immunol.,
	<b>102</b> :61-66, 1993.			
./	<b>102</b> :61-66, 1993.	Investigation of	Human Response to Pereninal R	Lyegrass", J. Allergy Clin.

Initials	OTHER DOCUMENTS (Cont.) (Including Author, Title, Date, Pertinent Pages, Etc.)
714	*Ansari, et al., "Complete Amino Acid Sequence of a Lolium Perenne (Perennial Rye Grass) Pollen Allergen, Lol p II" J. Biol. Chem., 264:11181-11185, 1989.
	*Ansair, et al., "Complete Primary Structure of a Lolium Perenne (Perrennial Rye Grass) Pollen Allergen, Lol p III: Comparison with Known Lol P I and II Sequences", <i>Biochemistry</i> , 28:8665-8670, 1989.
	*Apold, et al., "The Allergenic Structure of Allergen M from Cod. III. Studies on the Antigenic of Long-Sequence Peptides", Int Arch Allergy Appl Immunol. 58(3): 337-43, 1979.
	*Arruda, et al., "Molecular Cloning of a Major Cockroach (Blattella Germanica) Allergen, Bla g 2", J. Biol. Chem., 270:19563-19568, 1995.
	*Arruda, et al., "Cloning of Cockroach Allergen, Bla g 4, Identifies Ligand Binding Proteins (or Calycins) as a Cause of IgE Antibody Responses" J. Biol. Chem. 270: 31196-31201, 1995.
!	*Arruda, et al., "Molecular Cloning of German Cockroach (Blattella Germanica) Allergens", Int. Arch Allergy Immunol., 107:295-297, 1995.
	*Asturias, et al., "Cloning and High Level Expression of Cynodon Dactylon (Bermuda Grass) Pollen Profilin (Cyn d 12) in Escherichia Coli: Purification and Characterization of the Allergen" Clin. Exp. Allergy, 27:1307-1313, 1997.
	*Asturias, et al., "Cloning and Expression of the Panallergen Profilin and the Major Allergen (Ole e 1) from Olive Tree Pollen", J. Allergy Clin Immunol 100:365-372, 1997.
	*Attanayaka, et al., "Molecular Cloning and Nucleotide Sequencing of the Rubber Elongation Factor Gene from Hevea Brasilienis", <i>Plant Mol. Biol.</i> , 16:1079-1081, 1991.
	*Aukrust, L., "Purification of Allergens in Cladosporium Herbarum", Allergy, 35: 206-207, 1980.
	*Aukrust, et al., "Partial Purification and Characterization of Two Cladosporium Herbarum Allergens", Int Arch Allergy Appl Immunol., 60:68-79, 1979.
	*Avjioglu, et al., "Sequence Analysis of Sor H I, The Group I Allergen of Johnson Grass Pollen and Its Comparison to Rye-Grass Lol P I" J. Allergy Clin. Immunol. 91:340.
	*BSAC Working Party, "Position Paper on Allergen Immunotherapy," Clin. Exp. Allergy, 23: 1-44 (1993).
	*Ball, et al., "A Major Continuous Allergenic Epitope of Bovine Beta-Lactoglobulin Recognized by Human IgE Binding", Clin. Exp. Allergy, 24: 758-764, 1994.
	*Bannon, et al., "Tertiary Structure and Biophysical Properties of a Major Peanut Allergen, Implications for the Production of a Hypoallergenic Protein", Int. Arch Allergy Immunol. 118(2-4), 315-6, February-April, 1999.
	*Bannon, et al., "Ara h 3, A Peanut Allergen Identified by Using Peanut Sensitive Patient Sera Adsorbed with Soy Proteins" Abstract.
	*Barnett, et al., "Multiplicity of Allergens in Peanuts," J. Allergy Clin. Immunol., 72: 61-8, 1983.  *Barnett, et al., "Partial Characterization of an Allergenic Glycoproteins from Peanut",  Biochimica et Biophysica Acta 882: 97-105, 1986.
	*Batanero, et al., "Ole e 3, an Olive-Tree Allergen, Belongs to a Widespread Family of Pollen Proteins" Eur. J. Biochem., 241:772-778, 1996.

Express Mail. No/EV1703936320S 3624520\_1.DOC

*Bauer, et al., "Modulation of the Allergic Immune Response in BALB/c Mice by Subcutaneo Injection of High Doses of the Dominant T Cell Epitope from the Major Birch Pollen Allergen Bet v 1". Clin Exp Immunol, 107(3): 536-41, March. 1997.  *Bayard, et al., "Mapping of IgE Binding Regions in the Major Rat Urinary Protein, Alpha 2u-Globulin, Using Overlapping Peptides", Immunol. Invest, 28(5-6): 323-38, September-December, 1999.  *Bermhisel-Broadbent, et al., "Cross-Allergenicity in the Legume Botanical Family in Children with Food Hypersensitivity. II. Laboratory correlates" J Allergy Clin. Immunol., 84: 701-709 (1989).  *Bevier, "Flea Allergy Dermatitis Testing Breakthrough", Canine Practice, 22(2-3): 49-50, 1997.  *Birkner, et al., "Evaluation of Immunotherapy-Induced Changes in Specific IgE, IgG, and IgG-subclasses in Birch Pollen-Allergic Patient by Means of Immunoblotting, Correlation with Clinical Response," Allergy, 45: 418-426.  *Bock, "Natural History of Severe Reactions to Foods in Young Children," J. Pediatr. 107: 676-680, 1985.  *Bock, "The Natural History of Peanut Allergy", J. Allergy Clin. Immunol., 83: 900-904 (1989)  *Botros, H., "Cross-Antigenicity of Horse Serum Albumin with Dog and Cat Albumins: Study of Three Short Peptides with Significant Inhibitory Activity Towards Specific Human IgE and IgG Antibodies", Immunologo, 88: 340-47, 1996.  *Boulet, et al., "Inhibitory Effects of an Anti-IgE Antibody E25 on Allergen-Induced Early Asthmatic Response," Am J. Respir Crit. Care Med., 155: 1835-1840, 1997.  *Brand, et al., "Allergen-Specific Immune Deviation from a TH2 to TH1 Response Induced by Dendritic Cells and Collagen Type 1", J. Allergy Clin. Immunol. 104(5): 1052-58, November, 1999.  *Breiteneder, et al., "Peripheral T-Cell Complexes", Adv Exp Med Biol. 409:365-74, 1996.  *Breiteneder, et al., "Four Recombinant Isoforms of Cor a I, the Major Allergen of Hazel Poller Show Different IgE-Bjnding Properties", Europ. J. Biochem., 212:355-362, 1993.  *Breiteneder, et al., "Peripheral T-Cell Toleran	Examiner's	OTHER DOCUMENTS (Cont.)	
Injection of High Doses of the Dominant T Cell Epitope from the Major Birch Pollen Allergen Betv 1", Clin Exp Immunol, 107(3): 536-41, March. 1997.  *Bayard, et al., "Mapping of IgE Binding Regions in the Major Rat Urinary Protein, Alpha 2u-Globulin, Using Overlapping Peptides", Immunol. Invest, 28(5-6): 323-38, September-December, 1999.  *Berminsel-Broadbent, et al., "Cross-Allergenicity in the Legume Botanical Family in Children with Food Hypersensitivity. II. Laboratory correlates" J Allergy Clin. Immunol., 84: 701-709 (1989).  *Beevier, "Flea Allergy Dermatitis Testing Breakthrough", Canine Practice, 22(2-3): 49-50, 1997.  *Birkner, et al., "Evaluation of Immunotherapy-Induced Changes in Specific IgE, IgG, and IgG-subclasses in Birch Pollen-Allergic Patient by Means of Immunoblotting, Correlation with Clinical Response," Allergy, 45: 418-426.  *Bock, "Statural History of Severe Reactions to Foods in Young Children," J. Pediatr. 107: 676-680, 1985.  *Bock, "The Natural History of Feanut Allergy", J. Allergy Clin. Immunol., 83: 900-904 (1989)  *Bottos, H., "Cross-Antigenicity of Horse Serum Albumin with Dog and Cat Albumins: Study of Three Short Peptides with Siginificant Inhibitory Activity Towards Specific Human IgE and IgG Antibodies", Immunology, 88: 340-47, 1996.  *Boulet, et al., "Inhibitory Effects of an Anti-IgE Antibody E25 on Allergen-Induced Early Asthmatic Response," Am J. Respir Crit Care Med., 155: 1835-1840, 1997.  *Brand, et al., "Allergen-Specific Immuno Deviation from a TH2 to TH1 Response Induced by Dendritic Cells and Collagen Type 1", J. Allergy Clin. Immunol. 104(5): 1052-58, November, 1999.  *Breiteneder, et al., "Diversity of Human T Cell Receptor Sequences of T Cell Clones with Specificit Bet v 1 Peptide/MHC II Complexes", Adv Exp Med Biol. 409:365-74, 1996.  *Breiteneder, et al., "Complementary DNA Cloning and Expression in Escheria Coli of Aln g1, the Major Allergen in Pollen odf alder (Alnus glutinosa)," J. Allergy Clin. Immunol., 90: 909-917 (1992).  *Briner, et al., "Peripheral T	Initials	· · ·	
Globulin, Using Overlapping Peptides", Immunol. Invest, 28(5-6): 323-38, September-December, 1999.  *Bermhisel-Broadbent, et al., "Cross-Allergenicity in the Legume Botanical Family in Children with Food Hypersensitivity. II. Laboratory correlates" J Allergy Clin. Immunol., 84: 701-709 (1989).  *Bevier, "Flea Allergy Dermatitis Testing Breakthrough", Canine Practice, 22(2-3): 49-50, 1997.  *Birkner, et al., "Evaluation of Immunotherapy-Induced Changes in Specific IgE, IgG, and IgG-subclasses in Birch Pollen-Allergic Patient by Means of Immunoblotting, Correlation with Clinical Response," Allergy, 45: 418-426.  *Bock, "Natural History of Severe Reactions to Foods in Young Children," J. Pediatr. 107: 676 680, 1985.  *Bock, "The Natural History of Peanut Allergy", J. Allergy Clin. Immunol., 83: 900-904 (1989)  *Botros, H., "Cross-Antigenicity of Horse Serum Albumin with Dog and Cat Albumins: Study of Three Short Peptides with Significant Inhibitory Activity Towards Specific Human IgE and IgG Antibodies", Immunology, 88: 340-47, 1996.  *Boulet, et al., "Inhibitory Effects of an Anti-IgE Antibody E25 on Allergen-Induced Early Asthmatic Response," An J. Respir Crit Care Med., 155: 1835-1840, 1997.  *Brand, et al., "Allergen-Specific Immune Deviation from a TH2 to TH1 Response Induced by Dendritic Cells and Collagen Type 1", J. Allergy Clin. Immunol. 104(5): 1052-58, November, 1999.  *Breiteneder, et al., "Diversity of Human T Cell Receptor Sequences of T Cell Clones with Specificit Bet v 1 Peptide/MHC II Complexes", Adv Exp Med Biol. 409:365-74, 1996.  *Breiteneder, et al., "Four Recombinant Isoforms of Cor a 1, the Major Allergen of Hazel Poller Show Different IgE-Binding Properties", Europ. J. Biochem. 212:355-362, 1993.  *Breiteneder, et al., "Four Recombinant Isoforms of Cor a 1, the Major Allergen of Hazel Poller Show Different IgE-Binding Properties", Europ. J. Biochem. 212:355-362, 1993.  *Breiteneder, et al., "Four Recombinant Isoforms of Cor a 1, the Major Allergen of Hazel Poller Show Different IgE-Binding	PAR	Injection of High Doses of the Dominant T Cell Epitope from the Major Birch Pollen Allergen Bet v 1", Clin Exp Immunol, 107(3): 536-41, March. 1997.	
with Food Hypersensitivity. II. Laboratory correlates" J Allergy Clin. Immunol., 84: 701-709 (1989).  *Bovier, "Flea Allergy Dermatitis Testing Breakthrough", Canine Practice, 22(2-3): 49-50, 1997.  *Birkner, et al., "Evaluation of Immunotherapy-Induced Changes in Specific IgE, IgG, and IgG subclasses in Birch Pollen-Allergic Patient by Means of Immunoblotting, Correlation with Clinical Response," Allergy, 45: 418-426.  *Bock, "Natural History of Severe Reactions to Foods in Young Children," J. Pediatr. 107: 676-680, 1985.  *Bock, "The Natural History of Peanut Allergy", J. Allergy Clin. Immunol., 83: 900-904 (1989)  *Botros, H., "Cross-Antigenicity of Horse Serum Albumin with Dog and Cat Albumins: Study of Three Short Peptides with Siginificant Inhibitory Activity Towards Specific Human IgE and IgG Antibodies", Immunology, 88: 340-47, 1996.  *Boulet, et al., "Inhibitory Effects of an Anti-IgE Antibody E25 on Allergen-Induced Early Asthmatic Response," Am J. Respir Crit Care Med., 155: 1835-1840, 1997.  *Brand, et al., "Allergen-Specific Immune Deviation from a TH2 to TH1 Response Induced by Dendritic Cells and Collagen Type 1", J. Allergy Clin. Immunol. 104(5): 1052-58, November, 1999.  *Breiteneder, et al., "Diversity of Human T Cell Receptor Sequences of T Cell Clones with Specificit Bet v 1 Peptide/MHC II Complexes", Adv Exp Med Biol. 409:365-74, 1996.  *Breiteneder, et al., "Four Recombinant Isoforms of Cor a I, the Major Allergen of Hazel Poller Show Different IgE-Bjnding Properties", Europ. J. Biochem. 212:355-362, 1993.  *Breiteneder, et al., "Complementary DNA Cloning and Expression in Escheria Coli of Aln g I, the Major Allergen in Pollen odf alder (Alnus glutinosa)," J. Allergy Clin. Immunol., 90: 909-917 (1992).  *Briner, et al., "Peripheral T-Cell Tolerance Induced in Naive and Primed Mice by Subcutaneo Injection of Peptides From the Major Cat Allergen Fel D 1", Proc. Natl Acad Sci USA, 90(16): 7608-12, August 15, 1993.  *Bulone, A., "Separation of Horse Dander Allergen Proteins by Two-Dimensional		Globulin, Using Overlapping Peptides", <i>Immunol. Invest</i> , <b>28(5-6)</b> : 323-38, September-December, 1999.	
*Birkner, et al., "Evaluation of Immunotherapy-Induced Changes in Specific IgE, IgG, and IgG-subclasses in Birch Pollen-Allergic Patient by Means of Immunoblotting, Correlation with Clinical Response," Allergy, 45: 418-426.  *Bock, "Natural History of Severe Reactions to Foods in Young Children," J. Pediatr. 107: 676-680, 1985.  *Bock, "The Natural History of Peanut Allergy", J. Allergy Clin. Immunol., 83: 900-904 (1989)  *Botros, H., "Cross-Antigenicity of Horse Serum Albumin with Dog and Cat Albumins: Study of Three Short Peptides with Significant Inhibitory Activity Towards Specific Human IgE and IgG Antibodies", Immunology, 88: 340-47, 1996.  *Boulet, et al., "Inhibitory Effects of an Anti-IgE Antibody E25 on Allergen-Induced Early Asthmatic Response," Am J. Respir Crit Care Med., 155: 1835-1840, 1997.  *Brand, et al., "Allergen-Specific Immune Deviation from a TH2 to TH1 Response Induced by Dendritic Cells and Collagen Type 1", J. Allergy Clin. Immunol. 104(5): 1052-58, November, 1999.  *Breiteneder, et al., "Diversity of Human T Cell Receptor Sequences of T Cell Clones with Specificit Bet v 1 Peptide/MHC II Complexes", Adv Exp Med Biol. 409:365-74, 1996.  *Breiteneder, et al., "Four Recombinant Isoforms of Cor a I, the Major Allergen of Hazel Poller Show Different IgE-Bjnding Properties", Europ. J. Biochem. 212:355-362, 1993.  *Breiteneder, et al., "Complementary DNA Cloning and Expression in Escheria Coli of Aln g I, the Major Allergen in Pollen odf alder (Alnus glutinosa)," J. Allergy Clin. Immunol., 90: 909-917 (1992).  *Briner, et al., "Peripheral T-Cell Tolerance Induced in Naive and Primed Mice by Subcutaneo Injection of Peptides From the Major Cat Allergen Fel D T", Proc. Natl Acad Sci USA, 90(16): 7608-12, August 15, 1993.  *Bulone, A., "Separation of Horse Dander Allergen Proteins by Two-Dimensional Electrophoresis Molecular Characterisation and Identification of Equ c 2.0101 and Equ c 2.0102 as Lipocalin Proteins", Eur J. Biochem., 253:202-211, 1998.  *Bulks, et al., "Allergeicity of Peanut and		with Food Hypersensitivity. II. Laboratory correlates" J Allergy Clin. Immunol., 84: 701-709	
subclasses in Birch Pollen-Allergic Patient by Means of Immunoblotting, Correlation with Clinical Response," Allergy, 45: 418-426.  *Bock, "Natural History of Severe Reactions to Foods in Young Children," J. Pediatr. 107: 676 680, 1985.  *Bock, "The Natural History of Peanut Allergy", J. Allergy Clin. Immunol., 83: 900-904 (1989)  *Botros, H., "Cross-Antigenicity of Horse Serum Albumin with Dog and Cat Albumins: Study of Three Short Peptides with Significant Inhibitory Activity Towards Specific Human IgE and IgG Antibodies", Immunology, 88: 340-47, 1996.  *Boulet, et al., "Inhibitory Effects of an Anti-IgE Antibody E25 on Allergen-Induced Early Asthmatic Response," Am J. Respir Crit Care Med., 155: 1835-1840, 1997.  *Brand, et al., "Allergen-Specific Immune Deviation from a TH2 to TH1 Response Induced by Dendritic Cells and Collagen Type 1", J. Allergy Clin. Immunol. 104(5): 1052-58, November, 1999.  *Breiteneder, et al., "Diversity of Human T Cell Receptor Sequences of T Cell Clones with Specificit Bet v 1 Peptide/MHC II Complexes", Adv Exp Med Biol. 409:365-74, 1996.  *Breiteneder, et al., "Four Recombinant Isoforms of Cor a I, the Major Allergen of Hazel Poller Show Different IgE-Bjnding Properties", Europ. J. Biochem. 212:335-362, 1993.  *Breiteneder, et al., "Complementary DNA Cloning and Expression in Escheria Coli of Aln g I, the Major Allergen in Pollen odf alder (Alnus glutinosa)," J. Allergy Clin. Immunol., 90: 909-917 (1992).  *Briner, et al., "Peripheral T-Cell Tolerance Induced in Naive and Primed Mice by Subcutaneo Injection of Peptides From the Major Cat Allergen Fel D I", Proc. Natl Acad Sci USA, 90(16): 7608-12, August 15, 1993.  *Bulone, A., "Separation of Horse Dander Allergen Proteins by Two-Dimensional Electrophoresis Molecular Characterisation and Identification of Equ c 2.0101 and Equ c 2.0102 as Lipocalin Proteins", Eur J. Biochem., 253:202-211, 1998.  *Burks, et al., "Allergeicity of Peanut and Soybean Extracts Altered by Chemical or Thermal Denaturation in Patients with Atopic Dermatit			
*Bock, "The Natural History of Peanut Allergy", J. Allergy Clin. Immunol., 83: 900-904 (1989)  *Botros, H., "Cross-Antigenicity of Horse Serum Albumin with Dog and Cat Albumins: Study of Three Short Peptides with Siginificant Inhibitory Activity Towards Specific Human IgE and IgG Antibodies", Immunology, 88: 340-47, 1996.  *Boulet, et al., "Inhibitory Effects of an Anti-IgE Antibody E25 on Allergen-Induced Early Asthmatic Response," Am J. Respir Crit Care Med., 155: 1835-1840, 1997.  *Brand, et al., "Allergen-Specific Immune Deviation from a TH2 to TH1 Response Induced by Dendritic Cells and Collagen Type 1", J. Allergy Clin. Immunol. 104(5): 1052-58, November, 1999.  *Breiteneder, et al., "Diversity of Human T Cell Receptor Sequences of T Cell Clones with Specificit Bet v 1 Peptide/MHC II Complexes", Adv Exp Med Biol. 409:365-74, 1996.  *Breiteneder, et al., "Four Recombinant Isoforms of Cor a I, the Major Allergen of Hazel Poller Show Different IgE-Bjinding Properties", Europ. J. Biochem. 212:355-362, 1993.  *Breiteneder, et al., "Complementary DNA Cloning and Expression in Escheria Coli of Aln g l, the Major Allergen in Pollen odf alder (Alnus glutinosa)," J. Allergy Clin. Immunol., 90: 909-917 (1992).  *Briner, et al., "Peripheral T-Cell Tolerance Induced in Naive and Primed Mice by Subcutaneo Injection of Peptides From the Major Cat Allergen Fel D P, Proc. Natl Acad Sci USA, 90(16): 7608-12, August 15, 1993.  *Bulone, A., "Separation of Horse Dander Allergen Proteins by Two-Dimensional Electrophoresis Molecular Characterisation and Identification of Equ c 2.0101 and Equ c 2.0102 as Lipocalin Proteins", Eur J. Biochem., 253:202-211, 1998.  *Burks, et al., "Allergeicity of Peanut and Soybean Extracts Altered by Chemical or Thermal Denaturation in Patients with Atopic Dermatitis and Positive Food Challenges", J. Allergy Clin Immunol, 90(6 pt 1): 889-97, 1992.  *Burks, et al., "Anaphylactic Reactions Following Gammaglibulin Administration in Patients with Hypgammaglobulinema: Detection of IgE antibodies to IgA		· · · · · · · · · · · · · · · · · · ·	
*Botros, H., "Cross-Antigenicity of Horse Serum Albumin with Dog and Cat Albumins: Study of Three Short Peptides with Significant Inhibitory Activity Towards Specific Human IgE and IgG Antibodies", Immunology, 88: 340-47, 1996.  *Boulet, et al., "Inhibitory Effects of an Anti-IgE Antibody E25 on Allergen-Induced Early Asthmatic Response," Am J. Respir Crit Care Med., 155: 1835-1840, 1997.  *Brand, et al., "Allergen-Specific Immune Deviation from a TH2 to TH1 Response Induced by Dendritic Cells and Collagen Type 1", J. Allergy Clin. Immunol. 104(5): 1052-58, November, 1999.  *Breiteneder, et al., "Diversity of Human T Cell Receptor Sequences of T Cell Clones with Specificit Bet v 1 Peptide/MHC II Complexes", Adv Exp Med Biol. 409:365-74, 1996.  *Breiteneder, et al., "Four Recombinant Isoforms of Cor a I, the Major Allergen of Hazel Poller Show Different IgE-Bjnding Properties", Europ. J. Biochem. 212:355-362, 1993.  *Breiteneder, et al., "Complementary DNA Cloning and Expression in Escheria Coli of Aln g I, the Major Allergen in Pollen odf alder (Alnus glutinosa)," J. Allergy Clin. Immunol., 90: 909-917 (1992).  *Briner, et al., "Peripheral T-Cell Tolerance Induced in Naive and Primed Mice by Subcutaneo Injection of Peptides From the Major Cat Allergen Fel D I", Proc. Natl Acad Sci USA, 90(16): 7608-12, August 15, 1993.  *Bulone, A., "Separation of Horse Dander Allergen Proteins by Two-Dimensional Electrophoresis Molecular Characterisation and Identification of Equ c 2.0101 and Equ c 2.0102 as Lipocalin Proteins", Eur J. Biochem., 253:202-211, 1998.  *Burks, et al., "Allergeicity of Peanut and Soybean Extracts Altered by Chemical or Thermal Denaturation in Patients with Atopic Dermatitis and Positive Food Challenges", J. Allergy Clin Immunol, 90(6 pt 1): 889-97, 1992.  *Burks, et al., "Anaphylactic Reactions Following Gammaglibulin Administration in Patients with Hypgammaglobulinema: Detection of IgE antibodies to IgA," N. Eng. J. Med. 314: 560-4,			
of Three Short Peptides with Siginificant Inhibitory Activity Towards Specific Human IgE and IgG Antibodies", Immunology, 88: 340-47, 1996.  *Boulet, et al., "Inhibitory Effects of an Anti-IgE Antibody E25 on Allergen-Induced Early Asthmatic Response," Am J. Respir Crit Care Med., 155: 1835-1840, 1997.  *Brand, et al., "Allergen-Specific Immune Deviation from a TH2 to TH1 Response Induced by Dendritic Cells and Collagen Type 1", J. Allergy Clin. Immunol. 104(5): 1052-58, November, 1999.  *Breiteneder, et al., "Diversity of Human T Cell Receptor Sequences of T Cell Clones with Specificit Bet v 1 Peptide/MHC II Complexes", Adv Exp Med Biol. 409:365-74, 1996.  *Breiteneder, et al., "Four Recombinant Isoforms of Cor a I, the Major Allergen of Hazel Poller Show Different IgE-Bjnding Properties", Europ. J. Biochem. 212:355-362, 1993.  *Breiteneder, et al., "Complementary DNA Cloning and Expression in Escheria Coli of Aln g I, the Major Allergen in Pollen odf alder (Alnus glutinosa)," J. Allergy Clin. Immunol., 90: 909-917 (1992).  *Briner, et al., "Peripheral T-Cell Tolerance Induced in Naive and Primed Mice by Subcutaneo Injection of Peptides From the Major Cat Allergen Fel D I", Proc. Natl Acad Sci USA, 90(16): 7608-12, August 15, 1993.  *Bulone, A., "Separation of Horse Dander Allergen Proteins by Two-Dimensional Electrophoresis Molecular Characterisation and Identification of Equ c 2.0101 and Equ c 2.0102 as Lipocalin Proteins", Eur J. Biochem., 253:202-211, 1998.  *Burks, et al., "Allergeicity of Peanut and Soybean Extracts Altered by Chemical or Thermal Denaturation in Patients with Atopic Dermatitis and Positive Food Challenges", J. Allergy Clin Immunol., 90(6 pt 1): 889-97, 1992.  *Burks, et al., "Anaphylactic Reactions Following Gammaglibulin Administration in Patients with Hypgammaglobulinema: Detection of IgE antibodies to IgA," N. Eng. J. Med. 314: 560-4,		*Bock, "The Natural History of Peanut Allergy", J. Allergy Clin. Immunol., 83: 900-904 (1989).	
Asthmatic Response," Am J. Respir Crit Care Med., 155: 1835-1840, 1997.  *Brand, et al., "Allergen-Specific Immune Deviation from a TH2 to TH1 Response Induced by Dendritic Cells and Collagen Type 1", J. Allergy Clin. Immunol. 104(5): 1052-58, November, 1999.  *Breiteneder, et al., "Diversity of Human T Cell Receptor Sequences of T Cell Clones with Specificit Bet v 1 Peptide/MHC II Complexes", Adv Exp Med Biol. 409:365-74, 1996.  *Breiteneder, et al., "Four Recombinant Isoforms of Cor a I, the Major Allergen of Hazel Poller Show Different IgE-Bjnding Properties", Europ. J. Biochem. 212:355-362, 1993.  *Breiteneder, et al., "Complementary DNA Cloning and Expression in Escheria Coli of Aln g I, the Major Allergen in Pollen odf alder (Alnus glutinosa)," J. Allergy Clin. Immunol., 90: 909-917 (1992).  *Briner, et al., "Peripheral T-Cell Tolerance Induced in Naive and Primed Mice by Subcutaneo Injection of Peptides From the Major Cat Allergen Fel D I", Proc. Natl Acad Sci USA, 90(16): 7608-12, August 15, 1993.  *Bulone, A., "Separation of Horse Dander Allergen Proteins by Two-Dimensional Electrophoresis Molecular Characterisation and Identification of Equ c 2.0101 and Equ c 2.0102 as Lipocalin Proteins", Eur J. Biochem., 253:202-211, 1998.  *Burks, et al., "Allergeicity of Peanut and Soybean Extracts Altered by Chemical or Thermal Denaturation in Patients with Atopic Dermatitis and Positive Food Challenges", J. Allergy Clin Immunol, 90(6 pt 1): 889-97, 1992.  *Burks, et al., "Anaphylactic Reactions Following Gammaglibulin Administration in Patients with Hypgammaglobulinema: Detection of IgE antibodies to IgA," N. Eng. J. Med. 314: 560-4,		of Three Short Peptides with Siginificant Inhibitory Activity Towards Specific Human IgE and	
Dendritic Cells and Collagen Type 1", J. Allergy Clin. Immunol. 104(5): 1052-58, November, 1999.  *Breiteneder, et al., "Diversity of Human T Cell Receptor Sequences of T Cell Clones with Specificit Bet v 1 Peptide/MHC II Complexes", Adv Exp Med Biol. 409:365-74, 1996.  *Breiteneder, et al., "Four Recombinant Isoforms of Cor a I, the Major Allergen of Hazel Poller Show Different IgE-Bjnding Properties", Europ. J. Biochem. 212:355-362, 1993.  *Breiteneder, et al., "Complementary DNA Cloning and Expression in Escheria Coli of Aln g I, the Major Allergen in Pollen odf alder (Alnus glutinosa)," J. Allergy Clin. Immunol., 90: 909-917 (1992).  *Briner, et al., "Peripheral T-Cell Tolerance Induced in Naive and Primed Mice by Subcutaneo Injection of Peptides From the Major Cat Allergen Fel D I", Proc. Natl Acad Sci USA, 90(16): 7608-12, August 15, 1993.  *Bulone, A., "Separation of Horse Dander Allergen Proteins by Two-Dimensional Electrophoresis Molecular Characterisation and Identification of Equ c 2.0101 and Equ c 2.0102 as Lipocalin Proteins", Eur J. Biochem., 253:202-211, 1998.  *Burks, et al., "Allergeicity of Peanut and Soybean Extracts Altered by Chemical or Thermal Denaturation in Patients with Atopic Dermatitis and Positive Food Challenges", J. Allergy Clin Immunol, 90(6 pt 1): 889-97, 1992.  *Burks, et al., "Anaphylactic Reactions Following Gammaglibulin Administration in Patients with Hypgammaglobulinema: Detection of IgE antibodies to IgA," N. Eng. J. Med. 314: 560-4,		Asthmatic Response," Am J. Respir Crit Care Med., 155: 1835-1840, 1997.	
Specificit Bet v 1 Peptide/MHC II Complexes", Adv Exp Med Biol. 409:365-74, 1996.  *Breiteneder, et al., "Four Recombinant Isoforms of Cor a I, the Major Allergen of Hazel Poller Show Different IgE-Bjnding Properties", Europ. J. Biochem. 212:355-362, 1993.  *Breiteneder, et al., "Complementary DNA Cloning and Expression in Escheria Coli of Aln g I, the Major Allergen in Pollen odf alder (Alnus glutinosa)," J. Allergy Clin. Immunol., 90: 909-917 (1992).  *Briner, et al., "Peripheral T-Cell Tolerance Induced in Naive and Primed Mice by Subcutaneo Injection of Peptides From the Major Cat Allergen Fel D I", Proc. Natl Acad Sci USA, 90(16): 7608-12, August 15, 1993.  *Bulone, A., "Separation of Horse Dander Allergen Proteins by Two-Dimensional Electrophoresis Molecular Characterisation and Identification of Equ c 2.0101 and Equ c 2.0102 as Lipocalin Proteins", Eur J. Biochem., 253:202-211, 1998.  *Burks, et al., "Allergeicity of Peanut and Soybean Extracts Altered by Chemical or Thermal Denaturation in Patients with Atopic Dermatitis and Positive Food Challenges", J. Allergy Clin Immunol, 90(6 pt 1): 889-97, 1992.  *Burks, et al., "Anaphylactic Reactions Following Gammaglibulin Administration in Patients with Hypgammaglobulinema: Detection of IgE antibodies to IgA," N. Eng. J. Med. 314: 560-4,		Dendritic Cells and Collagen Type 1", J. Allergy Clin. Immunol. 104(5): 1052-58, November,	
Show Different IgE-Bjnding Properties", Europ. J. Biochem. 212:355-362, 1993.  *Breiteneder, et al., "Complementary DNA Cloning and Expression in Escheria Coli of Aln g l, the Major Allergen in Pollen odf alder (Alnus glutinosa)," J. Allergy Clin. Immunol., 90: 909-917 (1992).  *Briner, et al., "Peripheral T-Cell Tolerance Induced in Naive and Primed Mice by Subcutaneo Injection of Peptides From the Major Cat Allergen Fel D I", Proc. Natl Acad Sci USA, 90(16): 7608-12, August 15, 1993.  *Bulone, A., "Separation of Horse Dander Allergen Proteins by Two-Dimensional Electrophoresis Molecular Characterisation and Identification of Equ c 2.0101 and Equ c 2.0102 as Lipocalin Proteins", Eur J. Biochem., 253:202-211, 1998.  *Burks, et al., "Allergeicity of Peanut and Soybean Extracts Altered by Chemical or Thermal Denaturation in Patients with Atopic Dermatitis and Positive Food Challenges", J. Allergy Clin Immunol, 90(6 pt 1): 889-97, 1992.  *Burks, et al., "Anaphylactic Reactions Following Gammaglibulin Administration in Patients with Hypgammaglobulinema: Detection of IgE antibodies to IgA," N. Eng. J. Med. 314: 560-4,			
the Major Allergen in Pollen odf alder (Alnus glutinosa)," J. Allergy Clin. Immunol., 90: 909-917 (1992).  *Briner, et al., "Peripheral T-Cell Tolerance Induced in Naive and Primed Mice by Subcutaneo Injection of Peptides From the Major Cat Allergen Fel D I", Proc. Natl Acad Sci USA, 90(16): 7608-12, August 15, 1993.  *Bulone, A., "Separation of Horse Dander Allergen Proteins by Two-Dimensional Electrophoresis Molecular Characterisation and Identification of Equ c 2.0101 and Equ c 2.0102 as Lipocalin Proteins", Eur J. Biochem., 253:202-211, 1998.  *Burks, et al., "Allergeicity of Peanut and Soybean Extracts Altered by Chemical or Thermal Denaturation in Patients with Atopic Dermatitis and Positive Food Challenges", J. Allergy Clin Immunol, 90(6 pt 1): 889-97, 1992.  *Burks, et al., "Anaphylactic Reactions Following Gammaglibulin Administration in Patients with Hypgammaglobulinema: Detection of IgE antibodies to IgA," N. Eng. J. Med. 314: 560-4,		*Breiteneder, et al., "Four Recombinant Isoforms of Cor a I, the Major Allergen of Hazel Pollen, Show Different IgE-Bjnding Properties", <i>Europ. J. Biochem.</i> 212:355-362, 1993.	
Injection of Peptides From the Major Cat Allergen Fel D I", Proc. Natl Acad Sci USA, 90(16): 7608-12, August 15, 1993.  *Bulone, A., "Separation of Horse Dander Allergen Proteins by Two-Dimensional Electrophoresis Molecular Characterisation and Identification of Equ c 2.0101 and Equ c 2.0102 as Lipocalin Proteins", Eur J. Biochem., 253:202-211, 1998.  *Burks, et al., "Allergeicity of Peanut and Soybean Extracts Altered by Chemical or Thermal Denaturation in Patients with Atopic Dermatitis and Positive Food Challenges", J. Allergy Clin Immunol, 90(6 pt 1): 889-97, 1992.  *Burks, et al., "Anaphylactic Reactions Following Gammaglibulin Administration in Patients with Hypgammaglobulinema: Detection of IgE antibodies to IgA," N. Eng. J. Med. 314: 560-4,			
Electrophoresis Molecular Characterisation and Identification of Equ c 2.0101 and Equ c 2.0102 as Lipocalin Proteins", Eur J. Biochem., 253:202-211, 1998.  *Burks, et al., "Allergeicity of Peanut and Soybean Extracts Altered by Chemical or Thermal Denaturation in Patients with Atopic Dermatitis and Positive Food Challenges", J. Allergy Clin Immunol, 90(6 pt 1): 889-97, 1992.  *Burks, et al., "Anaphylactic Reactions Following Gammaglibulin Administration in Patients with Hypgammaglobulinema: Detection of IgE antibodies to IgA," N. Eng. J. Med. 314: 560-4,		Injection of Peptides From the Major Cat Allergen Fel D I', Proc. Natl Acad Sci USA, 90(16):	
Denaturation in Patients with Atopic Dermatitis and Positive Food Challenges", J. Allergy Clin Immunol, 90(6 pt 1): 889-97, 1992.  *Burks, et al., "Anaphylactic Reactions Following Gammaglibulin Administration in Patients with Hypgammaglobulinema: Detection of IgE antibodies to IgA," N. Eng. J. Med. 314: 560-4,		Electrophoresis Molecular Characterisation and Identification of Equ c 2.0101 and Equ c 2.0102	
with Hypgammaglobulinema: Detection of IgE antibodies to IgA," N. Eng. J. Med. 314: 560-4,		Denaturation in Patients with Atopic Dermatitis and Positive Food Challenges", J. Allergy Clin Immunol, 90(6 pt 1): 889-97, 1992.	
V 1980			

Examiner's Initials	OTHER DOCUMENTS (Cont.) (Including Author, Title, Date, Pertinent Pages, Etc.)
1/	*Burks, et al., "Antibody Response to Milk Proteins in Patients with Milk-Protein Intolerance
PUL	Documented by Challenge," J. Allergy Clin. Immunol. 85: 921-7, 1990.
15°	*Burks, et al., "Atopic Dermatitis: Clinical Relevance of Food Hypersensitivity Reactions", J.
	Pediatr.113: 447-451, 1988.
	*Cloning of the Ara H II Peanut Allergen by Polymerase Chain Reaction (PCR) Amplification", Abstract.
	*Burks, et al., "The Identification of A Family of Vicilin-Like Genes Encoding Allergens Responsible for Peanut Hyper-Sensitivity", Abstract.
	*Burks, et al., Épitope Specificity and Immunoaffinity Purification of the Major Peanut Allergen, Ara h l,", J. Allergy Clin Immunol. 93(4): 743-50 (1994)
	*Burks, et al., "Identification and Characterization of a Second Major Peanut Allergen, Ara h II, with Use of the Sera of Patients with Atopic Dermatitis and Positive Peanut Challenge," J Allergy Clin Immunol 90(6 pt 1):962-9 (1992).
	*Burks, et al., "Identification of a Second Major Peanut Allergen in Patients with Atopic Dermatitis and Peanut Hypersensivity," J. Allergy Clin. Immunol. 87:211, 1991.
	*Burks, et al., "Identification of Peanut Agglutinin and Soybean Trypsin Inhibitor as Minor Legume Allergens," Int Arch Allergy Immunol. 105(2): 143-9, 1994.
	*Burks, et al., "Identification of a Major Peanut Allergen Ara h 1, in Patients with Atopic Dermatitis and Positive Peanut Challenge," J. Allergy Clin. Immunol. 88, 172-179, 1991.
	*Burks, et al., "Isolation, Identification, and Characterization of Clones Encoding Antigens Responsible for Peanut Hypersensitivity", Int. Arch. Allergy Immunol. 107(1-3): 248-50, May-June, 1995.
	*Burks, et al., "Mapping and Mutational Analysis of the IgE-Binding Epitopes on Ara h 1, a Legume Vicilin Protein and a Major Allergen in Peanut Hypersensitvity", Eur J. Biochem. 245(2): 334-9, April, 1997.
	*Burks, et al., "Modification of a Major Peanut Allergen Leads to Loss of IgE Binding", Int. Arch Allergy Immunol. 118(2-4), 313-4, February-April, 1999.
	*Burks, et al., "Peanut Allergens", Allergy, 53(8): 725-30, August, 1998.
_	*Burks, et al., "Production of Murine Monoclonal (mAb) Antibodies to Ara H1, A 63.5 kD Allergen in Peanuts, J. Allergy Clin. Immunol. 87: 210, 1991.
	*Burks, et al., "Recombinant Peanut Allergen Ara h I Expression and IgE Binding in Patients with Peanut Hypersensitivity", J. Clin. Invest. 96(4): 1715-21, October, 1996.
	*Burks, et al., "Cloning, Epitope Mapping and Mutational Analysis of Ara H 2, A Major Peanut Allergen", Abstract.
	*Butch, et al., "Properties of Human Follicular Dendritic Cells Purified with HJ2, a New Monoclonal Antibody", Cellular Immunology, 155, 27-41 (1994).
	*Cardaba, et al., "Antibody Response to Olive Pollen Antigens: Association Between HLA Class II Genes and IgE Response to Ole e I" J. Allergy Clin. Immunol. 91:338, 1993.
	*Chaloin, et al., "Conformations of Primary Amphipathic Carrier Peptides in Membrane Mimicking Environments", <i>Biochemistry</i> , 36: 11179-11187, 1997.
	*Chapman, et al., "Purification of Allergens," Curr. Opin. Immunol., 1: 647-53, 1989.
	*Chen, et al., "Allergenic and Antigenic Determinants of Latex Allergen Hev B 1: Peptide Mapping of Epitopes Recognized by Human, Murine and Rabbit Antibodies", Clin Exp Allergy, 26(4): 406-15, April-1996.
	(7/1)

Examiner's	OTHER DOCUMENTS (Cont.)	
Initials	(Including Author, Title, Date, Pertinent Pages, Etc.)	
PJK	*Chen, et al., "Isolation and Identification of Hevein as a Major IgE-Binding Polypeptide in Hevea Latex," J. Allergy Clin. Immunol. 99(3): 402-409, 1997.	
	*Cheng, et al., "House Dust Mite-Induced Sensitivity in Mice", Journal of Allergy and Clinical Immunology, 101(1): 51-59, 1998.	
	*Cheng, et al., "House-Dust Mite (HDM) Induced Hypersensitivity in Mice", Faseb Journal, 5(4): 801, 1995.	
	*Cheng, et al., "House-Dust Mite (HDM) Induced Hypersensitivity in Mice", Journal of Allergy and Clinical Immunology", 95(1): 380,1995.	
	*Christie, et al., "N-Terminal Amino Acid Sequence Identity Between a Major Allergen of Asacris Lumbricoides and Ascaris Suum, and MHC-Restricted IgE Responses to it", Immunology, 69:596-602, 1990.	
	*Chua, et al., "Sequence Analysis of cDNA Coding for A Major House Dust Mite Allergen" J. Exp. Med. 167:175-182, 1988.	
	*Chua, et al., "Isolation of cDNA Coding for the Major Mite Allergen Der p II by IgE Plaque Immunoassay", Int. Arch. Allergy Appl. Immunol. 91:118-123, 1990.	
	*Clarke, et al., "Structure of Mouse Major Urinary Protein Genes: Different Splicing Configurations in the 3' - Non-Coding Region", EMBO J., 3:1045-1052, 1984.	
	*Cockrell, et al., "Monoclonal Antibody Enzyme-Linked Immunosorbent Assay (ELISA) for Ara H 1. A Major Peanut Allergen," J Aller. Clin. Immunol., 89:Abstract 613, 1992.	
	*Colman, "Production of Proteins in the Milk of Transgenic Livestock: Problems, Solutions, and successes," Am J. Clin. Nutr. 63(4): 639S-6455S, 1996.	
	*Colman, A. "Production of Therapeutic Proteins in the Milk of Transgenic Livestock"  Biochem. Soc. Symp. 63: 141-147, 1998.	
	*Cooke & Sampson, "Allergenic Properties of Ovomucoid in Man," J. Immunol. 159(4): 2026-32, 1997.	
	*Corbi, et al., "Identification of IgE Binding Polypeptides Cross-Reactive with the Parietaria Judaica Main Allergenic Polypeptide", Mol Immunol. 23(12): 1357-63, December 1986.	
	*Counsell, et al., "Definition of the Human T-Cell Epitopes of Fel D 1, the Major Allergen of the Domestic Cat", <i>J Allergy Clin Immunol</i> . 98(5 Pt 1): 884-94, November, 1996.	
	*Crameri, et al., "Epidemiology and Molecular Basis of the Involvement of Aspergillus Fumigatus in Allergic Diseases", Contrib Microbiol. Basel. Karger, 2: 44-56.	
	*Czisch, et al., "Conformations of Peptide Fragments Comprising the Complete Sequence of Component III of Chi t I and Their Relationship to T-Cell Stimulation", <i>Biochemistry</i> 33(32): 9420-7, August, 1994.	
	*Czuppon, et al., "Allergens, IgE, Mediators, Inflammatory Mechanisms", The Rubber Elongation Factor of Rubber Trees (Hevea Brasiliensis) is the Major Allergen in Latex", J. Allergy Clin Immunol., 92:690-697, 1993.	
	*Daul, et al., "Identification of the Major Brown Shrimp (Penaeus Aztecus) Allergen as the Muscle Protein Tropomyosin", Int Arch Allergy Immunol. 105: 49-55, 1994.	
/	*Day, "Genetic Modification of Proteins in Food," Critical Reviews in Food Science and Nutrition, 36(S): S49-S67, 1996.	
$\bigvee$	*De Palma, et al., "Use of Antagonist Peptides to Inhibit in Vitro T Cell Responses to Par j1, The M Allergen of Parietaria Judaica Pollen", J. Immunol. 162(4): 1982-7, February 15, 1999.	

*De Jong, et al., "Food Allergen (Peanut)-Specific TH2 Clones Generated from the Blood of a Patient with Peanut Allergy," J Allergy Clin Immunol. 98(1): 73-81, 1996   *Demerec, et al., "A Proposal for a Uniform Nomenclature in Bacterial Genetics", C 61-75, 1966.  *de Groot, "Affinity Purification of a Major and a Minor Allergen from Dog Extract Activity of Affinity-Purified Can f I and of Can f I-Depleted Extract" J Allergy Clin 87:1056-1065, 1991.  *Demoly, et al., "Anti-IgE Therapy for Asthma," American J. Resp. Crit Care Med. 1827, 1997.  *Derossi, et al., "Cell Internalization of the Third Helix of the Antennapedia Homeo Receptor-Independent", The Journal of Biological Chemistry, 271(30): 18188-1819:   *Deuell, et al., "Trichophyton Tonsurans Allergen I, Characterization of a Protein TI Immediate But Not Delayed Hypersensitivity" J. Immunol., 147:96-101, 1991.  *Dilworth, et al., "Sequence Analysis of cDNA Coding for a Major House Dust Mite Der f I" Clin. Exp. Allergy, 21:25-32, 1991.  *Directions for Use, Pharmacia Diagnostics AB, Uppsala, Sweden 1985 (Revised 19 *Dolecek, et al., "Molecular Characterization of PhI p II, a Major Timothy Grass (Pi Pratense) Pollen Allergen", FEBS Letter., 335:299-304, 1993.  *Ebner, et al., "Multiple T Cell Specificities for Bet v I, the Major Birch Pollen Alle Single Individuals. Studies using Specific T Cell Clones and Overlapping Pepti", Eu Immunol. 23(7): 1523-7, July, 1993.  *Eichler & Houghten, "Generation and Utilization of Synthetic Combinatorial Libra Med. Today, 1(4): 174-80, 1995.  *Eigenmann, et al., "Identification of Unique Peanut and Soy Allergens in Sera Adse	Genetics, 54:  Serologic  Immunol.,
*de Groot, "Affinity Purification of a Major and a Minor Allergen from Dog Extract Activity of Affinity-Purified Can f I and of Can f I-Depleted Extract" J Allergy Clin 87:1056-1065, 1991.  *Demoly, et al., "Anti-IgE Therapy for Asthma," American J. Resp. Crit Care Med. 1827, 1997.  *Derossi, et al., "Cell Internalization of the Third Helix of the Antennapedia Homeo Receptor-Independent", The Journal of Biological Chemistry, 271(30): 18188-18193.  *Deuell, et al., "Trichophyton Tonsurans Allergen I, Characterization of a Protein TI Immediate But Not Delayed Hypersensitivity" J. Immunol., 147:96-101, 1991.  *Dilworth, et al., "Sequence Analysis of cDNA Coding for a Major House Dust Mite Der f I" Clin. Exp. Allergy, 21:25-32, 1991.  *Directions for Use, Pharmacia Diagnostics AB, Uppsala, Sweden 1985 (Revised 1985).  *Dolecek, et al., "Molecular Characterization of PhI p II, a Major Timothy Grass (Phartense) Pollen Allergen", FEBS Letter., 335:299-304, 1993.  *Ebner, et al., "Multiple T Cell Specificities for Bet v I, the Major Birch Pollen Alle Single Individuals. Studies using Specific T Cell Clones and Overlapping Pepti", Eu Immunol. 23(7): 1523-7, July, 1993.  *Eichler & Houghten, "Generation and Utilization of Synthetic Combinatorial Libra Med. Today, 1(4): 174-80, 1995.  *Eigenmann, et al., "Identification of Unique Peanut and Soy Allergens in Sera Adse	: Serologic . Immunol.,
Activity of Affinity-Purified Can f I and of Can f I-Depleted Extract" J Allergy Clin 87:1056-1065, 1991.  *Demoly, et al., "Anti-IgE Therapy for Asthma," American J. Resp. Crit Care Med. 1827, 1997.  *Derossi, et al., "Cell Internalization of the Third Helix of the Antennapedia Homeo Receptor-Independent", The Journal of Biological Chemistry, 271(30): 18188-18193.  *Deuell, et al., "Trichophyton Tonsurans Allergen I, Characterization of a Protein TI Immediate But Not Delayed Hypersensitivity" J. Immunol., 147:96-101, 1991.  *Dilworth, et al., "Sequence Analysis of cDNA Coding for a Major House Dust Mite Der f I" Clin. Exp. Allergy, 21:25-32, 1991.  *Directions for Use, Pharmacia Diagnostics AB, Uppsala, Sweden 1985 (Revised 1985) Polecek, et al., "Molecular Characterization of PhI p II, a Major Timothy Grass (Ph Pratense) Pollen Allergen", FEBS Letter., 335:299-304, 1993.  *Ebner, et al., "Multiple T Cell Specificities for Bet v I, the Major Birch Pollen Alle Single Individuals. Studies using Specific T Cell Clones and Overlapping Pepti", Eu Immunol. 23(7): 1523-7, July, 1993.  *Eichler & Houghten, "Generation and Utilization of Synthetic Combinatorial Libra Med. Today, 1(4): 174-80, 1995.  *Eigenmann, et al., "Identification of Unique Peanut and Soy Allergens in Sera Adse	. Immunol.,
*Derossi, et al., "Cell Internalization of the Third Helix of the Antennapedia Homeo Receptor-Independent", The Journal of Biological Chemistry, 271(30): 18188-18193  *Deuell, et al., "Trichophyton Tonsurans Allergen I, Characterization of a Protein TI Immediate But Not Delayed Hypersensitivity" J. Immunol., 147:96-101, 1991.  *Dilworth, et al., "Sequence Analysis of cDNA Coding for a Major House Dust Mite Der f I" Clin. Exp. Allergy, 21:25-32, 1991.  *Directions for Use, Pharmacia Diagnostics AB, Uppsala, Sweden 1985 (Revised 19)  *Dolecek, et al., "Molecular Characterization of PhI p II, a Major Timothy Grass (Pl Pratense) Pollen Allergen", FEBS Letter., 335:299-304, 1993.  *Ebner, et al., "Multiple T Cell Specificities for Bet v I, the Major Birch Pollen Alle Single Individuals. Studies using Specific T Cell Clones and Overlapping Pepti", Eu Immunol. 23(7): 1523-7, July, 1993.  *Eichler & Houghten, "Generation and Utilization of Synthetic Combinatorial Libra Med. Today, 1(4): 174-80, 1995.  *Eigenmann, et al., "Identification of Unique Peanut and Soy Allergens in Sera Adset	<b>155</b> : 1825-
*Receptor-Independent", The Journal of Biological Chemistry, 271(30): 18188-18193  *Deuell, et al., "Trichophyton Tonsurans Allergen I, Characterization of a Protein TI Immediate But Not Delayed Hypersensitivity" J. Immunol., 147:96-101, 1991.  *Dilworth, et al., "Sequence Analysis of cDNA Coding for a Major House Dust Mited Der f I" Clin. Exp. Allergy, 21:25-32, 1991.  *Directions for Use, Pharmacia Diagnostics AB, Uppsala, Sweden 1985 (Revised 1984)  *Dolecek, et al., "Molecular Characterization of PhI p II, a Major Timothy Grass (Plentense) Pollen Allergen", FEBS Letter., 335:299-304, 1993.  *Ebner, et al., "Multiple T Cell Specificities for Bet v I, the Major Birch Pollen Allerging Single Individuals. Studies using Specific T Cell Clones and Overlapping Pepti", Eu Immunol. 23(7): 1523-7, July, 1993.  *Eichler & Houghten, "Generation and Utilization of Synthetic Combinatorial Libra Med. Today, 1(4): 174-80, 1995.  *Eigenmann, et al., "Identification of Unique Peanut and Soy Allergens in Sera Adset.	
Immediate But Not Delayed Hypersensitivity" J. Immunol., 147:96-101, 1991.  *Dilworth, et al., "Sequence Analysis of cDNA Coding for a Major House Dust Mited Der f I" Clin. Exp. Allergy, 21:25-32, 1991.  *Directions for Use, Pharmacia Diagnostics AB, Uppsala, Sweden 1985 (Revised 1985)  *Dolecek, et al., "Molecular Characterization of PhI p II, a Major Timothy Grass (Ple Pratense) Pollen Allergen", FEBS Letter., 335:299-304, 1993.  *Ebner, et al., "Multiple T Cell Specificities for Bet v I, the Major Birch Pollen Allergen Single Individuals. Studies using Specific T Cell Clones and Overlapping Pepti", Eulemonol. 23(7): 1523-7, July, 1993.  *Eichler & Houghten, "Generation and Utilization of Synthetic Combinatorial Libra Med. Today, 1(4): 174-80, 1995.  *Eigenmann, et al., "Identification of Unique Peanut and Soy Allergens in Sera Adset"	
<ul> <li>Der f I" Clin. Exp. Allergy, 21:25-32, 1991.</li> <li>*Directions for Use, Pharmacia Diagnostics AB, Uppsala, Sweden 1985 (Revised 1985)</li> <li>*Dolecek, et al., "Molecular Characterization of PhI p II, a Major Timothy Grass (Phartense) Pollen Allergen", FEBS Letter., 335:299-304, 1993.</li> <li>*Ebner, et al., "Multiple T Cell Specificities for Bet v I, the Major Birch Pollen Alle Single Individuals. Studies using Specific T Cell Clones and Overlapping Pepti", Eu Immunol. 23(7): 1523-7, July, 1993.</li> <li>*Eichler &amp; Houghten, "Generation and Utilization of Synthetic Combinatorial Libra Med. Today, 1(4): 174-80, 1995.</li> <li>*Eigenmann, et al., "Identification of Unique Peanut and Soy Allergens in Sera Adset</li> </ul>	nat Causes
*Dolecek, et al., "Molecular Characterization of PhI p II, a Major Timothy Grass (Ph Pratense) Pollen Allergen", FEBS Letter., 335:299-304, 1993.  *Ebner, et al., "Multiple T Cell Specificities for Bet v I, the Major Birch Pollen Alle Single Individuals. Studies using Specific T Cell Clones and Overlapping Pepti", Eu Immunol. 23(7): 1523-7, July, 1993.  *Eichler & Houghten, "Generation and Utilization of Synthetic Combinatorial Libra Med. Today, 1(4): 174-80, 1995.  *Eigenmann, et al., "Identification of Unique Peanut and Soy Allergens in Sera Adse	Allergen,
Pratense) Pollen Allergen", FEBS Letter., 335:299-304, 1993.  *Ebner, et al., "Multiple T Cell Specificities for Bet v I, the Major Birch Pollen Alle Single Individuals. Studies using Specific T Cell Clones and Overlapping Pepti", Eu Immunol. 23(7): 1523-7, July, 1993.  *Eichler & Houghten, "Generation and Utilization of Synthetic Combinatorial Libra Med. Today, 1(4): 174-80, 1995.  *Eigenmann, et al., "Identification of Unique Peanut and Soy Allergens in Sera Adso	988).
Single Individuals. Studies using Specific T Cell Clones and Overlapping Pepti", Eu Immunol. 23(7): 1523-7, July, 1993.  *Eichler & Houghten, "Generation and Utilization of Synthetic Combinatorial Libra Med. Today, 1(4): 174-80, 1995.  *Eigenmann, et al., "Identification of Unique Peanut and Soy Allergens in Sera Adso	ıleum
Med. Today, 1(4): 174-80, 1995.  *Eigenmann, et al., "Identification of Unique Peanut and Soy Allergens in Sera Adso	
1 1 7	ries," <i>Mol</i> .
Cross-Reacting Antibodies", J. Allergy Clin Immunol, 98(5 pt 1):969-78, November	
*Ekramoddoullah, "Allergenic Cross Reactivity of Cytochrome c From Kentucky Bl Perennial Ryegrass Pollens"., Moll Immunol. 19: 1527-1534, 1982.	uegrass and
*Elfman, et al., "IgE Binding Capacity of Synthetic and Recombinant Peptides of the Mite (Lepidoglyphus Destructor) Allergen, Lep d 2", Int Arch Allergy Immunol. 117 November 1998.	•
*Elsayed, et al., "A Synthetic Hexadecapeptide Derived from Allergen M Imposing Antigenic Reactivity", 12(2): 171-5, 1980.	Allergenic
*Elsayed, et al., "Allergenic Synthetic Peptide Corresponding to the Second Calcium Cod Allergen M", Scand J Immunol. 14(2): 207-11, August, 1981.	n-Binding of
*Elsayed, et al., "Antigenic and Allergenic Determinants of Ovalbumin. I. Peptide M Cleavage at the Methionyl Peptide Bonds and Enzymic Hydrolysis of Native A Carb OA", Int Arch Allergy Appl Immunol. 79(1): 101-7, 1986.	11 0
*Elsayed, et al., "Synthetic Allergenic Epitopes from the Amino-Terminal Regions of Allergens of Hazel and Birch Pollen", Int Arch Allergy Appl Immunol. 89: 410-415,	
*Elsayed, et al., "Tryptic Cleavage of a Homogenous Cod Fish Allergen and Isolatio Ac Polypeptide Fragments" Immunochemistry, 9(6): 647-61, June, 1972.	of the Major

Attv. Docket No: 20028

Examiner's Initials	OTHER DOCUMENTS (Cont.) (Including Author, Title, Date, Pertinent Pages, Etc.)	
Pull	*Elsayed, et al., "The Primary Structure of Fragment TM2 of Allergen M from Cod", Scand J. Immunol., 3: 683-686, 1974.	
	*Elsayed, et al., "Cod Fish Allergen Structure", Immunochemistry, 9:647-661, 1972.	
	*Enomoto, et al., "Antibodies Raised Against Peptide Fragments of Bovine Alpha s1-Casein Cross-with the Intact Protein Only When the Peptides Contain Both B and T Cell Determinants", Mol Immunol. 27(6): 581-6, June, 1990.	
	*Epton, et al., "High-Molecular-Weight Allergens of the House Dust Mite: An Apolipophorin-Li cDNA has Sequence Identity with the Major M-177 Allergen and the IgE-Bin Peptide Fragments Mag1 and Mag3", Int Arch Allergy Immunol. 120(3): 185-91, November, 1999	
	*Esch, et al., "Isolation and Characterization of A Major Cross-Reactive Grass Group I Allergenic Determinant", Mol. Immunol. 26:557-561.	
	*Espanion, "Methods of Production and Perspectives for Use of Transgenic Domestic Animals," DTW Dtsch Tierarzti Wochenschr. 103(8-9): 320-8, 1996.	
	*Ezhevsky, et al., "Hypo-Phosphorylation of the Retinoblastoma Protein (pRb) by Cyclin: D:Cdk4/6 Complexes Results in Active pRb", <i>Proc. Natl. Acad. Sci. USA</i> , 94:10699-10704, 1997.	
	*Fahhoum, et al., "Immunologic Variables in a Murine Model of House Dust Mite Sensitivity", Journal of Allergy and Clinical Immunology, 99(1): 676, 1997.	
	*Fahhoum, et al., "Tolerization of House Dust Mite Sensitive Mice Using a Major HDM Peptide", Journal of Allergy and Clinical Immunology, 101(1): 252, 1998.	
	*Fahy, et al., "The Effect of an Anti-IgE Monoclonal Antibody on the Early-and Late-Phase Responses to Allergen Inhalation in Asthmatic Subjects," <i>American J Respir Crit Care Med</i> , 155: 1828-1834, 1997.	
	*Fang, et al., "cDNA Cloning and Primary Structure of a White-Face Hornet Venom Allergen, Antigen 5", Natl. Acad. Sci., USA, 85:895-899, 1988.	
	*Fasler, et al., "Antagonistic Peptides Specifically Inhibit Proliferation, Cytokine Production, CD40L Expression, and Help for IgE Synthesis by Der p 1-Specific Human T-Cell Clones", J Allergy Clin Immunol. 101(4 Pt 1): 521-30, April, 1998.	
	*Fasler, et al., "Peptide-Induced Anergy in Allergen-Specific Human Th2 Cells Results in Lack Cytokine Production and B Cell Help for IgE Synthesis. Reversal IL-2, not IL-4 or IL-13", <i>J Immunol</i> . 155(9): 4199-206, November 1, 1995.	
	*Ferreira, et al., "Modulation of IgE reactivity of allergens by Site-Directed Mutagenesis: Potential Use of Hypoallergenic Variants for Immunotherapy", FASEB J, 12: 231-242 (1998)	
	*Fields, et al., "Solid Phase Peptide Synthesis Utilizing 9-Fluorenylmethoxycarbonyl Amino Acids," Int J Pept Protein Res. 35(3): 161-214, 1990.	
	*Fischer, et al., "Characterization of PhI p 4, a Major Timothy Grass (Phleum Pratense) Pollen Allergen" J. Allergy Clin Immunol. 98: 189-198, 1996.	
	*Fitzsimmons, et al., "Immunotherapy-Definition and Mechanism," Allergy Proc., 11: 156 (1990)	
V.	*Fuchs, et al., "Ingredients for Fat Replacement," Food Tech. 51: 82-87, 1997.	

Examiner's	OTHER DOCUMENTS (Cont.)		
Initials	(Including Author, Title, Date, Pertinent Pages, Etc.)		
Zut	*Fung-Leung, et al., Transgenic Mice Expressing the Human High-Affinity Immonoglobulin (lg) E Receptor Alpha Chain Respond to Human lgE in Mast Cell Degranualtion and in Allergic Reactions," J. Exp. Med. 183: 49-56 (1996).		
	*Garcia, et al., "Nonspecific Changes in Immunotherapy with House dut extract", J. Invest Alergol. Clin Immunol. 5 18-24 (1995).		
	*Geluk, et al., "HLA-DR3 Molecules can Bind Peptides Carrying Two Alternative Specific Submotifs", <i>J Immunol.</i> 152(12): 5742-8, June 15, 1994.		
	*Ghosh, et al., "Cloning and Expression of Immunologically Active Recombinant Amb a V Allergen of Short Ragweed Pollen", J. Immunol., 150: 5391-5399, 1993.		
	*Gjesing, et al., "Immunochemistry of Food Antigens", Ann. Allergy, 53:602-608, 1984.		
	*Gibbs, et al., "Evolution of Legume See Storage Proteins – a Domain Common to Legumins and Vicilins is Duplicated in Vicilins," Mol. Biol. Evol., 6: 614-623 (1989).		
	*Gieni, et al., Allergen-Specific Modulation of Cytokins Synthesis Patterns and IgE Responses in Vivo with Chemically Modified Allergen," <i>The Journal of Immunol.</i> , <b>150</b> : 302-310 (1993).		
	*Gius, et al., "Transduced p16 <sup>INK4a</sup> Peptides Inhibit Hypophosphorylation of the Retinoblastoma Protein and Cell Cycle Progression Prior to Activation of Cdk2 Complexes in Late G <sub>1</sub> <sup>1</sup> " Cancer Research, <b>59</b> :2577-2580, 1999.		
	*Gmachl, et al., "Bee Venom Hyaluronidase is Homologous to a Membrane Protein of Mammalian Sperm", <i>Proc. Natl. Acad. Sci. USA.</i> , <b>90</b> :3569-3573, 1993.		
	*Gonzalez, et al., "Soybean Hydrophobic Protein and Soybean Hull Allergy" Lancet, 346:48-49, 1995.		
	*Goodfriend, et al., "New Ragweed Pollen Allergens", Fed. Proc. 38: 1415.		
	*Goodfriend, et al., "Ra5G, A Homologue of Ras5 In Giant Ragweed Pollen: Isolation, HLA-DR-Associated Activity and Amino Acid Sequence", Mol. Immunol. 22: 899-906, 1985.		
	*Gordon, "Future Immunotherapy: What Lies Ahead?, Otolaryngol Head Neck Surg., 113: 603-605 (1995).		
	*Greene, "Characterization of Allergens of the Cat Flea, Ctenocephalides Felis: Detection and Frequency of IgE Antibodies in Canine Sera," Parasit Immunology, 15: 69-74, 1993.		
	*Greene, et al., IgE and IgG Binding of Peptides Expressed from Fragments of cDNA Encoding the Major House Dust Mite Allergen Der p I" J Immunol. 147(11): 3768-73, December 1, 1997.		
	*Griffith, et al., "cDNA Cloning of Cry j r, The Major Allergen of Cryptomeria Japonica (Japanese Cedar)" J. Allergy. Clin. Immunol. 91:339, 1993.		
	*Griffith, et al., "Sequence Poymorphisms of Amb a I and Amb a II, The Major Allergens in Ambrosia Artemisiifolia (Short Ragweed). Int. Arch. Allergy Appl. Immunol. 96: 296-304, 1991.		
	*Griffith, et al., "Expression and Genomic Structure of the Genes Encoding FdI, the Major Allergen from the Domestic Cat", <i>Gene</i> , 113: 263-268, 1992.		
	*Griffith, et al., "Cloning and Sequencing of Lol pI, the Major Allergenic Protein of Rye-Grass Pollen", FEBS Letters, 279:210-215, 1991.		
	Tgv. Jal		
Express Mail. No.	EV 10393633 S 11 of 26 Atty. Docket No: 2002834-0232		

Examiner's Initials	OTHER DOCUMENTS (Cont.) (Including Author, Title, Date, Pertinent Pages, Etc.)
Poly	*Gross, et al., "Isolation and Partial Characterization of the Allergen in Mountain Cedar Pollen", Scand J. Immunol., 8:437-441, 1978.
	*Guerin-Marchand, et al., "Cloning, Sequencing and Immunological Characterization of Dac g 3, A Major Allergen From Dactylis Glomerata Pollen", <i>Mol. Immunol.</i> 33:797-806, 1996.
	*Habermann, E., "Bee and Wasp Venoms", Science, 177:314-322, 1972.
	*Halliwell, "Aspects of the Immunopathogenisis of Flea Allergy Dermatitis in Dogs," Veterinary Immunology and Immunopathology, 17: 483-494, 1987.
	*Halliwell, IgE and IgG Antibodies to Flea Antigen in Differing Dog Populations," Veterinary Immunology and Immunopathology, 8: 215-223, 1985.
	*Halmepuro, et al., "Crawfish and Lobster Allergens: Identification and Structural Similarities with Other Crustacea", Int. Arch Allergy Appl. Immun. 84: 165-72, 1987.
	*Haselden, et al., "Immunoglobulin E-independent Major Histocompatibility Complex-restricted T Cell Peptide Epitope-induced Late Asthmatic Reactions" <i>J Exp Med.</i> <b>189(12)</b> : 1885-94, June 21, 1999
	*Hawrylowicz, et al., "T-Cell Receptor Peptides that Inhibit the T-Cell Response to Allergen Induce Transforming Growth Factor-Beta 1 Production", <i>J Allergy Clin Immunol.</i> 97(2): 707-9, February, 1996.
	*Hefle, et al., "Isolation of Peanut Allergens Using Monoclonal Antibodies," J. Allergy and Clinical Immunology, 87: Abstract, 209, 1991.
	*Heiner, et al., "RAST Analyses of Peanut Allergens," J. Allergy Clin. Immunol., 55: 82, 1975.
	*Helm, et al., "A Major Allergen Involved in IgE Mediated Cockroach Hypersensitivity is a 90 kD Protein with Multiple IgE Binding Domains", Adv Exp Med Biol. 409: 267-8, 1996.
	*Helm, et al., "Cellular and Molecular Characterization of a Major Soybeam Allergen", Int. Arch Allergy Immunol. 117(1), 29-37, September, 1998.
	*Helm, et al., "IgE-Binding of Homologous Legume Vicilins and Glycinins of Soybean and Peanut Allergens", Abstract.
	*Helm, et al., "Isolation and Characterization of a Clone Encoding a Major Allergen (Bla g Bd90K) Involved in IgE-Mediated Cockroach Hypersensitivity", <i>J Allergy Clin Immunol.</i> 98(1): 172-80, July, 1996.
	*Helm, et al., "Isolation and Characterization of Clones Encoding Cockroach Allergens", Int. Arch Allergy Immunol. 107(1-3): 462-3, May-June, 1995.
	*Helm, et al., "Mutational Analysis of the IgE-binding Epitopes of P34/Gly m Bd 30K", J Allergy Clin. Immunol. 105(2): 378-84, January, 2000.
	*Helm, et al., "Cloning of a Portion of Ara H 3: A Peanut Allergen", Abstract.
	*Herian, et al., "Identification of Soybean Allergens by Immunoblotting with Sera from Soy-Allergic Adults," Int. Arch. Allergy Appl. Immunol. 92: 193-198, 1990.
	*Hetzel, et al., "Peptide-Mediated Immunoregulation", Int Arch Allergy Immunol. 107:(1-3): 275-7, May-June, 1995.
	*Higgins, et al., "Overlapping T-Cell Epitopes in the Group I Allergen of Dermatophagoides sp Restricted by HLA-DP and HLA-DR Class II Molecules", <i>J Allergy Clin Immunol.</i> 93(5): 891-9, May, 1994.
7	

Examiner's Initials	OTHER DOCUMENTS (Cont.) (Including Author, Title, Date, Pertinent Pages, Etc.)
P.K	*Higgins, et al., "Peptide-Induced Nonresponsiveness of HLA-DP Restricted Human T Cells rea with Dermatophagoides spp", J Allergy Clin Immunol. 90(5): 749-56, November, 1992.
	*Hirahara, et al., "Oral Administration of A Dominant T-Cell Determinant Peptide Inhibits Allergen-Specific TH1 and TH2 Cell Responses in Cry J 2-Primed Mice", J Allergy Clin Immunol. 102(6 Pt 1): 961-7, December, 1998.
	*Ho, et al., "Comparison of the Immunogenicity of Wasp Venom Peptides With or Without Carbohydrate Moieties", <i>Toxicon</i> . 36(1): 217-21, January, 1998.
į	*Hoffman, et al., "Allergens in Hymenoptera Venom XXV: The Amino Acid Sequences of Antigen 5 Molecules and the Structural Basis of Antigenic Cross-Reactivity", J. Allergy Clin. Immunol., 92:707-716, 1993.
	*Hoffman, et al., "Allergens in Hymenoptera Venom XXIV: The Amino Acid Sequences of Imported Fire Ant Venom Allergens Sol i II, Sol i III, and Sol i IV" J. Allergy Clin. Immunol., 91:71-78, 1993.
	*Hoffman, D.R., "Immunochemical Identification of the Allergens in Egg White", J. Allergy Clin. Immunol. 71:481-486, 1983.
	*Hong, et al., "Pepsin-Digested Peanut Contains T-Cell Epitopes But no IgE Epitopes", J. Allergy Clin. Immunol. 104: 473-7, 1999.
	*Horner, et al., "Identification of the Allergen Psi c 2 from the Basidiomycete Psilocybe Cubensis as a Fungal Cyclophilin", <i>Int. Arch. Allergy Immunol.</i> , 107:298-300, 1995.
	*Hoyne, et al., "Inhibition of T-Cell Responses by Feeding Peptides Containing Major and Cryp Epitopes: Studies with the Der p I Allergen", <i>Immunology</i> 83(2): 190-5, October, 1994.
	*Hoyne, et al., "Peptide Modulation of Allergen-Specific Immune Responses", Curr Opin Immunol. 7(6): 757-61, December, 1995.
	*Hsu, et al., "Inhibitition of Specific IgE Response in Vivo by Allergen-Gene Transfer," Int. Immunol. 8:1405-1411, 1996.
	*Jacobson, et al., "Characterization of Bumblebee Venom Allergens" J. Allergy Clin. Immunol. 91:187, 1993.
	*Jacobson, et al., "The Cross-Reactivity Between Bee and Vespid Hyaluronidases has a Structural Basis" J. Allergy Clin. Immunol., 89:292, 1992.
	*James, et al., "Wheat $\alpha$ -Amylase Inhibitor: A Second Route of Allergic Sensitization", <i>J Allergy Clin Immunol.</i> 99(2): February, 1997.
	*James, et al., "Serum IgE Antibodies From Wheat-Allergenic Patients Bind A 50 kD Wheat Protein", Abstract.
	*Jameson, et al., "The Antigenic Index: A Novel Algorithm for Predicting Antigenic Determinants," Comput. Appl. Bioscil, 4: 181-186 (1988).
	*Jansen, et al., "Prevalance of Food Allergy and Intolerance in the Adult Dutch Population," J. Allergy Clin. Immunol., 93: 446-456 (1994).
	*Janssen, et al., "Modulation of Th2 Responses by Peptide Analogues in a Murine Model of Alle Asthma: Amelioration or Deterioration of the Disease Process Depends on the Th1 or Th2 Skewing Characteristics of the Therapeutic Peptide", J Immunol.
$\Box$	*Jarman, et al., "Inhibition of Human T-Cell Responses to House Dust Mite Allergens by a T-Cell Receptor Peptide", J Allergy Clin Immunol. 94(5): 844-52, November 1994.

Allergen Der p I', Mol Immunol. 30(16):  *Jeannin, et al., "Specific Histamine Releated Der p I Protein, a Major Allergen of Derm 739-49, June, 1992.  *Jensen-Jarolim, et al., "Allergen Mimoto Mice", The FASEB Journal", 13: 1586-92  *Jensen-Jarolim, et al., "Nonapeptides Sel Monoclonal Antibodies BIP1 and BIP4 or Allergy Immunol. 118(2-4): 224-5, Februal *Jensen-Jarolim, et al., "Peptide Mimitope	passe Capacity of Peptides Selected from the Modelized natophagoides Pteronyssinus", Mol Immunol. 29(6):  ppes in Food Enhance Type I Allergic Reactions in 2, September, 1999.  lected by Phage Display Mimic The Binding Sites of an Bet v 1, The Major Birch Pollen Allergen", Int Arch Pary-April, 1999.  les Displayed by Phage Inhibit Antibody Binding to Bet Induce Specific IgG Response in Mice", FASEB J.  lever Pollen: Only an Occupational Allergy? Int. Arch  mics: Models for Broad Array of Receptor-mediate
Der p I Protein, a Major Allergen of Derm 739-49, June, 1992.  *Jensen-Jarolim, et al., "Allergen Mimoto Mice", The FASEB Journal", 13: 1586-92  *Jensen-Jarolim, et al., "Nonapeptides Sel Monoclonal Antibodies BIP1 and BIP4 or Allergy Immunol. 118(2-4): 224-5, Februa   *Jensen-Jarolim, et al., "Peptide Mimitope v 1, the Major Birch Pollen Allergen, and	natophagoides Pteronyssinus", Mol Immunol. 29(6):  opes in Food Enhance Type I Allergic Reactions in 2, September, 1999.  lected by Phage Display Mimic The Binding Sites of an Bet v 1, The Major Birch Pollen Allergen", Int Arch ary-April, 1999.  es Displayed by Phage Inhibit Antibody Binding to Bet Induce Specific IgG Response in Mice", FASEB J.  ver Pollen: Only an Occupational Allergy? Int. Arch mics: Models for Broad Array of Receptor-mediate
Mice", The FASEB Journal", 13: 1586-92  *Jensen-Jarolim, et al., 'Nonapeptides Sel Monoclonal Antibodies BIP1 and BIP4 or Allergy Immunol. 118(2-4): 224-5, Februa  *Jensen-Jarolim, et al., "Peptide Mimitope v 1, the Major Birch Pollen Allergen, and	2, September, 1999. lected by Phage Display Mimic The Binding Sites of in Bet v 1, The Major Birch Pollen Allergen", Int Arch ary-April, 1999. es Displayed by Phage Inhibit Antibody Binding to Bet Induce Specific IgG Response in Mice", FASEB J. ever Pollen: Only an Occupational Allergy? Int. Arch
Monoclonal Antibodies BIP1 and BIP4 or Allergy Immunol. 118(2-4): 224-5, Februa  *Jensen-Jarolim, et al., "Peptide Mimitope v 1, the Major Birch Pollen Allergen, and	n Bet v 1, The Major Birch Pollen Allergen", Int Arch ary-April, 1999.  es Displayed by Phage Inhibit Antibody Binding to Bet Induce Specific IgG Response in Mice", FASEB J.  ver Pollen: Only an Occupational Allergy? Int. Arch  nics: Models for Broad Array of Receptor-mediate
v 1, the Major Birch Pollen Allergen, and	Induce Specific IgG Response in Mice", FASEB J.  ver Pollen: Only an Occupational Allergy? Int. Arch  nics: Models for Broad Array of Receptor-mediate
	nics: Models for Broad Array of Receptor-mediate
*Jimenez, et al., "Sensitization to Sunflow Allergy Immunol. 105:297-307, 1994	· · · · · · · · · · · · · · · · · · ·
*Jusko, "Cortiocosteroid Pharmacodynam Pharmacologic Effects," Clin. Pharmacol,	, <u>3</u> U: 3U3-1U, 199U.
*Kaminogawa, "Food Allergy, Oral Toler Cellular Mechanisms," Biosci. Biotech, Bi	rance and ImmunomodulationTheir Molecular and iochem. 60: 1749-1756, 1996.
*Kammerer, et al/. "Modulation of T-Cell	Response to Phospholipase A2 and Phospholipase A2-enom Immunotherapy", J Allergy Clin Immunol.
*Kapitany, et al., "A High Resolution PAS Biochem., 56: 361-9, 1973.	S Stain for Polyacrylamide Gel Electrophoresis," Anal.
*Keating, et al. "Immunoassay of Peanut A Foods," J. Allergy Clin. Immunol. 86: 41-4	Allergens in Food-Processing Materials and Finished 44, 1990.
*Kettner, et al., "IgE and T-Cell Response Venom", Clin. Exp. Allergy, 29(3): 394-40	es to High-Molecular Weight Allergens from Bee 01, March, 1999.
	odular Protein Sharing Sequence Similarities with the ly, and Snake Venom Disintegrins (Platelet – 19-861, 1994.
*Kim, et al., "Suppressive Vaccination at the Naked DNA Vaccine", Journal of Investigation	Allergen-Induced Immunoglobulin E Production by estigative Medicine, 46(3): A243, 1998.
	Allergen-Induced Immunoglobulin E Production by
*King, et al., "Isolation and Characterizati 458-468, 1964.	ion of Allergen from Ragweed Pollen" Biochemistry, 3:
*King, et al., "Modulation of the Allergent Mutagenesis of Its Immunodominant IgE	icity of a Major Peanut Allergen, Ara h 2 by Binding Epitopes", Abstract.
	rization of a Novel Collagenolytic Serine Protease rmatophagoides Pteronyssinus", J. Allergy Clin

Examiner's Initials	OTHER DOCUMENTS (Cont.) (Including Author, Title, Date, Pertinent Pages, Etc.)	
TAK	*King, et al., "Structural Studies of a Hornet Venom Allergen Antigen 5, Dol m V and its Sequence Similarity with Other Proteins" <i>Prot. Seq. Data Anal.</i> , 3:263-266, 1990.	
	*King, et al., "Yellow Jacket Venom Allergens, Hyaluronidase and Phospholipase: Sequence Similarity and Antigenic Cross-Reactivity with Their Hornet and Wasp Homologs and Possible Implications for Clinical Allergy" <i>Allergy Clin. Immunol.</i> , <b>98</b> :588-600, 1996.	
	*Klapper, et al., "Amino Acid Sequence of Ragweed Allergen Ra3", Biochemistry, 19: 5729-5734, 1980.	
	*Klysner, et al., "Group V Allergens in Grass Pollens: IV. Similarities in Amino Acid Compositions and NH <sub>2</sub> . Terminal Sequences of the Group V Allergens from Lolium Perenne, Poa Pratensis and Dactylis Glomerata", Clin. Exp. Allergy, 22:491-497, 1992.	
	*Kohler, et al., "Continuous Cultures of Fused Cells Secreting Antibody of Predefined Specificity," <i>Nature</i> , <b>256</b> : 495-497, 1975.	
	*Kopper, et al., "Rapid Isolation of Peanut Allergens and Their Physical Chemical and Biological Characterization", Abstract.	
	*Kricek, et al., "IgE-Related Peptide Mimotopes, Basic Structures for Anti-Allergy Vaccine Development", Int Arch Allergy Immunol. 118 (2-4): 222-3, February-April, 1999.	
	*Krieg, et al., "CpG Motifs in Bacterial DNA Trigger Direct B-Cell Activation," <i>Nature</i> , 374(6522): 546-9, 1995.	
	*Kuchler, et al., "Analysis of the cDNA for Phospholipase A <sub>2</sub> from Honeybee Venom Glands; The Deduced Amino Acid Sequence Reveals Homology to the Corresponding Vertebrate Enzymes", Eur. J. Biochem., 184:249-254, 1989.	
	*Kumar, et al., "Isolation and Characterization of a Recombinant Heat Shock Protein of Aspergillus Fumigatus", J. Allergy Clin. Immunol., 91:1024-1030, 1993.	
	*Kurup, et al., "Immunodominant Peptide Epitopes of Allergen, Asp F 1 from the Fungus Aspergillus Fumigatus", Peptides, 19(9): 1469-77, 1998.	
	*Kwon, et al., "Immunoprotective Effect of Vaccination with DNA Encoding T Cell Epitopes on the Der p Induced IgE Production" <i>Journal of Allergy and Clinical Immunology</i> , <b>103</b> : 418, 1999.	
	*Kwon, et al., "The Effect of the Intradermal Vaccination with DNA Encoding the T-Cell Receptor on the Induction of Experimental Autoimmune Encephalomyelitis in Mice", Journal of Allergy and Clinical Immunology, 103: 76, 1999.	
	*Lacroix, et al., "Attenuation of Allergen-Evoked Nasal Responses by Local Pretreatment with Exogenous Neuropeptide Y in Atopic Patients", J Allergy Clin Immunol. 98(3):611-6, September, 1996.	
	*Laemmli, "Cleavage of Structural Proteins During the Assembly of the Head of Bacteriophage T4", Nature, 227: 680-5, 1970.	
	*Lake, et al., "House Dust Mite-Derived Amylase: Allergenicity and Physicochemical Characterization", J. Allergy Clin. Immunol. 87:1035-1042, 1991.	
	*Langeland, T., "A Clinical and Immunological Study of Allergy to Hen's Egg White", <i>Allergy</i> , 38:493-500, 1983.	
	*Laperche, et al., "Tissue-Specific Control of α <sub>2u</sub> Globulin Gene Expression: Constitutive Synthesis in the Submaxillary Gland" Cell, 32:453-460, 1983.	

Examiner's Initials	OTHER DOCUMENTS (Cont.) (Including Author, Title, Date, Pertinent Pages, Etc.)				
Pulk	*Larsen, et al., "PCR Based Cloning and Sequencing of Isogenes Encoding the Tree Pollen Major Allergen Car b I from Carpinus Betulus, Hornbeam", Mol. Immunol. 29: 703-711, 1992.				
Í	*Lehrer, et al., "Reactivity of IgE Antibodies with Crustacea and Oyster Allergens: Evidence for Common Antigenic Structures", J Allergy Clin. Immunol. 80(2): 133-39, August, 1987,				
	*Lemanske & Taylor, "Standardized Extracts, Foods," Clin. Rev. Allergy, 5: 23-26, 1987.				
	*Leung, et al., "Identification and Molecular Characterization of Charybdis Feriatus Tropomyosin, The Major Crab Allergen", J. Allergy Clin Immunol. 847-852, November, 1998.				
	*Leung, et al., "IgE Reactivity Against a Cross-Reactive Allergen in Crustacea and Mollusca: Evidence for Tropomyosin as the Common Allergen", J. Allergy Clin Immunol. 98(5), 954-961, November, 1996.				
	*Liebers, et al., "Epitope Mapping with Peptides of Chi t I Component III and Immunomodula of the Chi t Immune Response", J Allergy Clin Immunol. 92(2): 334-9, August, 1993.				
	*Lind, et al., "The Binding of Mouse Hybridoma and Human IgE Antibodies to the Major Fecal Allergen, Der p I, of Dermatophagoides Pteronyssinus, Relative Binding Site Location and Species Specificity Studied by Solid-Phase Inhibition Assays with Radiolabeled Antigen", J. Immunol., 140:4256-4262, 1988.				
	*Ling, et al., "Construction and Characterization of Human IgE Fab Fragments Specific to Peanut Allergens", Abstract.				
	*Litwin, et al., "Regulation of the Human Immune Response to Ragweed Pollen by Immunotherapy. A Controlled Trial Comparing the Effect of Immunosuppressive Peptic Fragments of Short Ragweed with Standard Treatment", Clin Exp. Allergy. 21(4): 457-65, July, 1991.				
	*Litwin, et al., "Regulation of the Immune Response to Allergens by Immunosuppressive Allergenic Fragments, Peptic Framents of Honey Bee Venom Phospholipase", Int Arch Allergy Appl Immunol. 87(4): 361-6, 1988.				
	*Lopata, et al., "Characteristics of Hypersensitivity Reactions and Identification of a Unique 49 kd IgE-Binding Protein (Hal-m-1) in Abalone (Haliotis Midae)" J. Allergy Clin. Immunol., 1997,				
	*Lowenstein, H., "Timothy Pollen Allergens" Allergy: 35: 188-191, 1980.				
	*Lu, et al., "Sequence Analysis and Antigenic Cross-Reactivity of a Venom Allergen, Antigen 5, From Hornets, Wasps, and Yellow Jackets" <i>The Journal of Immunology</i> , <b>150</b> :2823-2830, 1993.				
	*Maguire, et al., "The Safety and Efficacy of ALLERVAX CAT in Cat Allergic Patients" Clin Immunol. 93(3): 222-31, December, 1999.				
	*Maleki, et al., "T-Cell Responses in Food Allergy: Identification of T-Cell Epitopes on a Major Peanut Allergen", Abstract.				
	*Marcotte, et al., "Effects of Peptide Therapy on Ex Vivo T-Cell Responses", J Allergy Clin Immunol. 101(4 Pt 1): 506-13, April, 1998.				
	*Marsh, et al., "Allergen Nomenclature", Bull WHO 64: 767-770, 1986.				
,	*Mathison, et al., "A Peptide from the Submandibular Glands Modulates Inflammatory Responses", Int Arch Allergy Immunol. 113 (1-3): 337-8, May-July, 1997.				
V	*Matthiesen, et al., "Group V Allergens in Grass Pollens. I. Purification and Characterization of the Group V Allergen from Phleum Pratense Pollen, Phl p V" Clin. Exp. Allergy, 21:297-307.				

Examiner's	OTHER DOCUMENTS (Cont.)				
Initials	(Including Author, Title, Date, Pertinent Pages, Etc.)				
PM	*Matsuoka, et al., "Altered TCR Ligands Affect Antigen-Presenting Cell Responses: Up- Regulation IL-12 by an Analogue Peptide", <i>J Immunol.</i> 157(11): 4837-43, December, 1996. *McKeon, "IgG and IgE Antibodies Against Antigens of the Cat Flea, Ctenocephalides Felis				
	Felis in Sera of Allergic and Non-Allergic Dogs," Int. J. Parasitology, 24(2): 259-263, 1994.				
	*Mecheri, et al., "Purification and Characterization of a Major Allergen from Dactylis Glomerata Pollen: The Ag Dg1", Int. Arch. Allergy Appl. Immunol., 78:283-289				
	*Mena, et al., "A Major Barley Allergen Associated with Baker's Asthma Disease is a Glycosylated Monomeric Inhibitor of Insect \( \alpha \)-Amylase: cDNA Cloning and Chromosomal Location of the Gene", <i>Plant Molec. Biol.</i> 20:451-458, 1992.				
	*Menedez-Arias, et al., "Primary Structure of the Major Allergen of Yellow Mustard (Sinapis alba L.) Seed, Sin a I" Eur. J. Biochem., 177:159-166, 1988.				
	*Metcalfe, "Food Allergens," Clin Rev Allergy, 3:331-49, 1985.				
	*Metzler, et al., "Determination of the Three-Dimensional Solution Structure of Ragweed Allergen Amb t V by Nuclear Magnetic Resonance Spectroscopy". <i>Biochemistry</i> , 31: 5117-5127, 1992.				
	*Metzler, et al., "Proton Resonance Assignments and Three-Dimensional Solution Structure of the Ragweed Allergen Amb a V by Nuclear Magnetic Resonance Spectroscopy" <i>Biochemistry</i> , 31: 8697-8705, 1992.				
	*Miller, et al., "Allergy to Bovine Beta-Lactoglobulin: Specificity of Immunoglobulin E Gener in the Brown Norway Rat to Tryptic and Synthetic Peptides", Clin. Exp. Allergy, 29(12): 1696-704, December, 1999.				
	*Miyazawa, et al., "Identification of the First Major Allergen of a Squid (Todarodes Pacificus)", J. Allergy Clin. Immunol., 98:948-953, 1996.				
	*Mohapatra, SS, "Modulation of Allergen-Specific Antibody Responses by T-Cell-Based Peptide Vaccine(s). Principles and Potential", Clin Rev Allergy. 12(1): 3-22, Spring, 1994.				
	*Moneret-Vautrin, "Modifications of Allergenicity Linked to Food Technologies," Allerg Immunol, 30(1): 9-13, 1998.				
	*Monsalve, et al., "Characterization of a New Oriental-Mustard (Brassica Juncea) Allergen, Bra j IE: Detection of an Allergenic Epitope" <i>Biochem. J.</i> , 293:625-632, 1993.				
	*Morgenstern, et al., "Amino Acid Sequence of Fel d I, the Major Allergen of the Domestic Cat: Protein Sequence Analysis and cDNA Cloning" <i>Proc. Natl. Acad. Sci. USA</i> , 88: 9690-9694, 1991.				
	*Muckerheide, et al., "Immunosuppressive Properties of a Peptic Fragment of BSA", The Journal of Immunology, 119(4): 1340-45, October, 1977.				
	*Muckerheide, et al., "Kinetics of Immunosuppression Induced by Peptic Fragments of Bovine Serum Albumin", Cellular Immunology, 50, 340-47, 1980.				
,	*Muller, et al., "Successful Immunotherapy with T-Cell Epitope Peptides of Bee Venom Phospholipase A2 Induces Specific T-Cell Anergy in Patients Allergic to Bee Venom" J Allergy Clin Immunol. 101(6 Pt 1): 747-54, June, 1998.				
V	*Nagahara, et al., "Transduction of Full-Length TAT Fusion Proteins into Mammalian Cells: TAT-p27 <sup>Kip1</sup> Induces Cell Migration", <i>Nature Medicine</i> , 4(12): 1449-1452, 1998.				
Examiner's	Mr. M OTHER DOCUMENTS (Cont.) Sylvis				

Initials	(Including Author, Title, Date, Pertinent Pages, Etc.)			
Poly	*Nair, Smita et al., Soluble Proteins Delivered to Dendritic Cells Via pH-sensitive Liposomes Induce Primary Cytotoxic T Lymphocyte Responses In Vitro", J. Exp. Med., 175 February 1992 609-612.			
	*Nelson, et al., "Treatment of Anaphylactic Sensivitity to Peanuts by Immunotherapy with Injections of Aqueous Peanut Extract," J. Allergy Clin. Immunol. 99: 744-751, 1997.			
	*Nilsen, et al., "Structural Analysis of the Glycoprotein Allergen Art v from the Pollen of Mugwort (Artemisia Vulgaris L.)" J. Biol. Chem. 266: 2660-2668.			
	*Nicodemus, et al., "Integrated Clinical Experience with Tolerogenic Peptides", Int Arch Allergy Immunol. 113:(1-3): 326-8, May-July, 1997.			
	*Nishiyama, et al., "Determination of Three Disulfide Bonds in a Major House Dust Mite Allergen, Der f II", Int. Arch. Allergy Immunol., 101:159-166, 1993.			
<del>                                     </del>	*Noon, "Prophylactic Inoculatio Against Hay Fever," Lancet, 1: 1572-73, 1911.			
	*Nordlee, et al., "Allergenicity of Various Peanut Products as Determined by RAST Inhibition,"  J. Allergy Clin. Immunol. 68: 376-82, 1981.			
	*Norman, et al., "Clinical and Immunologic Effects of Component Peptides in Allervax Cat", Int Arch Allergy Immunol. 113(1-3): 224-6, May-July, 1997.			
	*Norman, et al., "Multicenter Study of Several Doses of ALLER-VAX® Cat Peptides in the Treatment of Cat Allergy," Journal of Allergy and Clinical Immunology, 99: S127, 1997.			
	*Norman, et al., "Treatment of Cat Allergy with T-Cell Reactive Peptides" Am J Respir Crit Care Med. 154(6 Pt 1): 1623-8, December, 1996.			
	*Obispo, et al., "The Main Allergen of Olea Europaea (Ole e I) is Also Present in other Species of the Oleaceae Family", Clin. Exp. Allergy, 23:311-316, 1993.			
	*O'Brien, et al., "An Immunogenetic Analysis of T-Cell Reactive Regions on the Major Allergen from the House Dust Mite, Der p I, with Recombinant Truncated Fragments", J Allergy Clin Immunol. 93(3): 628-34, March, 1994.			
	*O'Farrell, "High Resolution Two-Dimensional Electrophoresis of Proteins," J. Biol. Chem. 250: 4007-21, 1975.			
	*O'Hehir, et al., "House Dust Mite Allergy: From T-Cell Epitopes to Immunotherapy", Eur J Clin Invest. 23(12): 763-72, December 1993.			
	*O'Hehir, et al., An In Vitro Model of Peptide-Mediated Immunomodulation of the Human T c Response to Dermatophagoides spp (House Dust Mite)" <i>J Allergy Clin Immunol.</i> 87(6): 1120-7, June, 1991.			
	*Okano, et al., "Population Analysis of Cellular Respones to Synthetic Peptides of Der p II, a Major Allergen Molecule of Dermatophagoides Pteronyssinus, in Allergic and Nonallergic Subjects", Allergy. 49(6): 436-41, July, 1994.			
	*Olsen, et al., "Identification and Characterization of the Poa p IX Group of Basic Allergens of Kentucky Bluegrass Pollen", J. Immunol.147: 205-211.			
	*O'Neil, et al., "Cloning and Characterization of a Major Allergen of the House Dust Mite, Dermatophagoides Pteronyssinus, Homologous with Glutathione S-Transferase", <i>Biochimica et Biophysica Acta</i> , 1219:521-528, 1994.			
	*Oppenheimer, et al., "Treatment of Peanut Allergy with Rush Immunotherapy", J Allergy Clin Immunol. 90: 256-62, 1992.			
Examiner's OTHER DOCUMENTS (Cont.)				
Initials	(Including Author, Title, Date, Pertinent Pages, Etc.)			

TRNV	*Park, et al., "Pediatric IgE Anibody binding to the Most Common Seafood Proteins in Korea", Journal of Allergy and Clinical Immunology, 101(1): 377, 1998.
100	*Pecquet, et al., "Immunoglobulin E Suppression and Cytokine Modulation in Mice Orally Tolerized to β-Lactoglobulin", <i>Immunology</i> , 96, 278-85, 1999.
	*Pene, et al., "Immunotherapy with Fel D 1 Peptides Decreases IL-4 Release by Peripheral Blood T Cells of Patients Allergic to Cats", 102: (4 Pt 1): 571-8, October, 1998.
	*Perez, et al., "cDNA Cloning and Immunological Characterization of the Rye Grass Allergen Lol p I" J. Biol. Chem. 265:16210-16215, 1990.
	*Pesce, et al., "Modulation of the Immune Response to Allergens: Phospholipase A Degradation Products Suppress IgG and IgE Response in Mice", Int Arch Allergy Appl Immunol, 92, 88-93, 1990.
	*Petersen, et al., "Characterization of the Allergen Group VI in Timothy Grass Pollen (Ph1 p6) II. c DNA Cloning of Ph1 p 6 and Structural Comparison to Grass Group V", Arch. Allergy Immunol. 108: 55-59.
	*Phadebas Rast Radioimmunoassay Reagents for 100 or 300 Tubes, Pharmacia Diagnostics AB, Uppsala Sweden 1985, Revised January 1988.
	*Pisetsky, "Immune Activation by Bacterial DNA: A New Genetic Code," <i>Immunity</i> , 5(4): 303-10, 1996.
	*Pollart, et al., "Identification, Quantitation, and Purification of Cockroach Allergens using Monoclonal Antibodies," J. Allergy Clin. Immunol., 87: 511-521, 1991.
	*Posch, et al., "Characterization and Identification of Latex Allergens by Two-Dimensional Electrophoresis and Protein Microsequencing," J. Allergy Clin. Immunol, 99(3): 385-395, 1997.
	*Pucheu-Haston, "Allergenic Cross-Reactivities in Flea-Reactive Canine Serum Samples," AJVR 57(7): 1000-1005, 1996.
	*Rabjohn, et al., "Glycinin, A Third Major Peanut Allergen Identified by Soy-Adsorbed Serum IgE from Peanut Sensitive Individuals", Abstract.
	*Rabjohn, et al., "Molecular Cloning and Epitope Analysis of the Peanut Allergen Ara h 3", J. Clin. Invest. 103(4), 535-42, February, 1999.
	*Rabjohn, et al., "Mutational Analysis of the IgE-Binding Epitopes of the Peanut Allergen, Ara h 3: A Member of the Glycinin Family of Seed-Storage Proteins", Abstract.
-	*Rafner, et al., "Cloning of Amb a I (Antigen E), the Major Allergens Family of Short Ragweed Pollen", J. Biol. Chem. 266: 1229-1236, 1991.
	*RAZ, et al., "Intradermal Gene Immunization: The Possible role of DNA Uptake in the Induction of Cellular Immunity to Viruses," Proc Nat Acad Sci USA, 91:9519-9523, 1994.
	*Reese, et al., "Characterization of Recombinant Shrimp Allergen Pen a 1 (Tropomyosin)", Int Arch Allergy Immunol, 113: 240-242, 1997.
	*Remy, et al., "Topical Peptides: Percutaneous Absorption of a Vasopressin Derivate, Grass Pollen, and Other Allergens by Iontophoresis in Men", <i>J Invest Dermatol.</i> 91(6): 606, December, 1988.
	*Roberts, et al., "Nucleotide Sequence of cDNA Encoding the Group II Allergen of Cocksfoot/Orchard Grass (Dactylis Glomerata), Dac g II", Allergy, 48:615-623, 1993.
	*Roebber, et al., "Immunochemical and Genetic Studies of Amb t V (Ra5G), an Ra5 Homologue from Giant Ragweed Pollen", J. Immunol. 134: 3062-3069, 1985.
Examiner's Initials	OTHER DOCUMENTS (Cont.)
	(Including Author, Title, Date, Pertinent Pages, Etc.)

PN	*Roebber, et al., "Isolation and Characterization of Allergen Amb a VII from Short Ragweed Pollen", J. Allergy Clin. Immunol. 87: 324, 1991.
15	*Rogers, et al., "Potential Therapeutic Recombinant Proteins Comprised of Peptides Containing Recombined T Cell Epitopes", Mol Immunol. 31(13): 955-66, September, 1994.
	*Rogers, et al., "Complete Sequence of the Allergen Amb a II: Recombinant Expression and Reactivity with T Cells from Ragweed Allergic Patients", J. Immunol. 147: 2547-2552, 1991.
	*Rolfsen, "Detection of Specific IgE Antibodies Towards Cat Flea (Ctenocephalides Felis Felis) in Patients with Suspected Cat Allergy," Allergy, 42: 177-181 (1987).
	*Rolland, et al., "Immunotherapy of Allergy: Anergy, Deletion, and Immune-Deviation", Current Opinion in Immunology, 10: 640-45, 1998.
	*Rooney, et al., "Antiparallel, Intramolecular Triplex DNA Stimulates Homologous Recombination in Human Cells," <i>Proc. Natl. Acad. Sci. USA</i> , 92: 2141-2144, 1995.
	*Sachs, et al., "Isolation and Partial Characterization of a Major Peanut Allergen," J. Allergy Clin. Immunol. 67: 27-34, 1981.
	*Sakaguchi, et al., "Identification of the Second Major Allergen of Japanese Cedar Pollen", Allergy, 45:309-312, 1990.
	*Sampson & McCaskill, "Food Hypersensitivity in Atopic Determatitis: Evaluation of 113 Patients," J. Pediatr. 107: 669-75, 1995.
	*Sampson, "Peanut Anaphylaxis," J Allergy Clin Immunol., 86: 1-3, 1990.
	*Sampson, "Role of Immediate Food Hypersensitivity in the Pathogenesis of Atopic Dematitis,"  J. Allergy Clin. Immunol. 71: 473-80, 1993.
	*Sampson, et al., "Fatal and Near-Fatal Anaphylactic Reactions to Food in Children and Adolescents", <i>The New England Journal of Medicine</i> ", <b>327(6)</b> : 380-84, August, 1992.
	*Sampson, et al., "Food Allergy and the Role of Immunotherapy," J Allergy Clin. Immun, 90:151-52, 1992.
	*Sampson, et al., "Mechanisms of Food Allergy," Annu. Rev. Nutr, 16: 161-77, 1996.
	*Reisman, "Fifteen yeas of hymenoptera Venom Immunotherapy," J. Allergy Clin Immunol., 90: 256-62 (1992).
	*Scheiner, "Recombinant Allergens: Biological, Immunological and Practical Aspects," Int. Arch. Allergy Immunol., 98: 93-96 (1992).
	*Schemmer, "Efficacy of Alum-Precipitated Flea Antigen for Hyposensitization of Flea-Allergic Dogs," Seminars in Veterinary Medicine and Surgery (Small Animal), 2(3): 195-198, 1987.
	*Schmidt, et al., "cDNA Analysis of the Mite Allergen Lep d 1 Identifies Two Different Isoallergens and Variants", FEBS Letter, 370:11-14, 1995.
	*Schmidt, et al., "The Complete cDNA Sequence and Expression of the First Major Allergenic Protein of Malassezia Furfur, Mal f 1", Eur J. Biochem., 246:181-185, 1997.
	*Schmidt, et al., "Nucleotide Sequence of cDNA Encoding the Fire Ant Venom Protein Sol i II", FEBS Letter, 319:138-140, 1993.
	*Schwarze, et al. "In Vivo Protein Transduction: Delivery of a Biologically Active Protein into the Mouse", Science, 285: 1569-1572
$\bigvee$	*Secrist, et al., "Allergen Immunotherapy Decreases Interleuken 4 Production in CD4 + T Cells From Allergic Individuals," J. Exp. Med. 178 2123-2130 (1993).
Examiner's	OTHER DOCUMENTS (Cont.)
Initials	(Including Author, Title, Date, Pertinent Pages, Etc.)
	Market Ma

	/				
PA	*Sehra, et al., "Role of Liposomes in Selective Proliferation of Splenic Lymphocytes" <i>Molecular and Cellular Biochemistry</i> , <b>183</b> : 133-139, 1998.				
1	*Sen, et al., "Allergen Structure May Dictate Why Some IgE Binding Epitopes Become				
	Immunodominant Within a Food Allergic Population", Abstract.				
	*Sevier, et al., "Monoclonal Antibodies in Clinical Immunology," Clin. Chem. 27(11): 1797-1806, 1981.				
	*Shanti, et al., "Identification of Tropomyosin as the Major Shrimp Allergen and Characterization of its IgE-Binding Epitopes: ," J. Immunol, 151: 5354-5363, 1993.				
	*Sharif, et al., "Biodegradable microparticles as a delivery system for the allergens of Dermatophagoides pteronyssinus (house dust mite): I. Preparation and characterization of microparticles", International Journal of Pharmaceutics, 119 1995) 239-246.				
	*Shen, et al., "Molecular Cloning of a House Dust Mite Allergen with Common Antibody Binding Specificities with Multiple Components in Mite Extracts", Clin. Exp. Allergy, 23: 934-940, 1993.				
	*Shen, et al., "Studies on Allergens of Aspergillus Flavus", J. Allergy Clin. Immunol., 103:S157, 1999.				
	*Shen, et al., "Allergenic Components in Three Different Species of Penicillium: Crossreactivity Among Major Allergens" Clin. Exp. Allergy, 26:444-451, 1996.				
	*Shen, et al., "Molecular Cloning of cDNA Coding for the 68 kDa Allergen of Penicillium Notatum Using MoAbs", Clin Exp. Allergy, 25:350-356, 1995.				
	*Shen, et al., "The 40-Kilodalton Allergen of Candida Albicans is an Alcohol Dehydrogenase: Molecular Cloning and Immunological Analysis Using Monoclonal Antibodies", Clin Exp. Allergy, 21:675-681, 1991.				
	*Shin, et al., "Biochemical and Structural Analysis of the IgE Binding Sites on Ara h1, An Abundant and Highly Allergenic Peanut Protein", J. Biol. Chem. 273(22): 13753-9, May, 1998.				
	*Shin, et al., Characterization of a Major Peanut Allergen: Mutational Analysis of the Ara h 1 IgE Binding Epitopes and Strategies for the Creation of a Hypoallergenic Peanut Clone", Abstract.				
	*Shin, Modulation of the Reactivity of the Major Peanut Allergen Ara h 1 Through Epitope Characterization, Structural Analysis, and Mutation", Abstract.				
-	*Shin, et al., "Tertiary Structure of the Major Peanut Allergen Ara h 1: Implications for the Bioengineering of a Hypoallergenic Protein", Abstract.				
	*Sidoli, et al., "Cloning, Expression, and Immunological Characterization of Recombinant Lolium-Perenne Allergen Lol p II", J. Biol Chem., 268:21819-21825, 1993.				
	*Simons, et al., "Fel D 1 Peptides: Effect on Skin Tests and Cytokine Synthesis in Cat-Allergic Human Subjects", Int Immunol. 8(12): 1937-45, December, 1996.				
<u> </u>	*Singh, et al., "Isolation of cDNA Encoding a Newly Identified -Major Allergenic P, rotein of Rye-Grass Pollen: Intracellular Targeting to the Amyloplast", <i>Proc. Natl. Acad. Sci.</i> , <b>88</b> :1384-1388, 1991.				
9	Ta. X				

Examiner's Initials	OTHER DOCUMENTS (Cont.) (Including Author, Title, Date, Pertinent Pages, Etc.)				
7.K	*Smith, et al., "Cloning and Expression in Yeast Pichia Pastoris of a Biologically Active Form of Cyn d 1, the Major Allergen of Bermuda Grass Pollen", <i>J. Allergy Clin. Immunol.</i> 98:331-343, 1996.				
	*Smith, et al., "Comparative Analysis of the Genes Encoding Group 3 Allergens from Dermatophagoides Pteronyssinus and Dermatophagoides Farinae", Int Arch Allergy Immunol., 109:133-140, 1996.				
	*Soldatova, et al., "Sequence Similarity of a Hornet (D. Maculata) Venom Allergen Phospholipase A <sub>1</sub> with Mammalian Lipases", FEBS Letters, 320:145-149, 1993.				
	*Sone, et al., "T Cell Epitopes in a Japanese Cedar (Cryptomeria Japonica) Pollen Allergens: Choice of Major T Cell Epitopes in Cry j 1 and Cry j 2 Toward Design of the Peptide-Immunotherapeutics for the Management of Japanese Cedar Pollinosis", J. Immunol. 161(1): 448-57, July 1, 1998.				
	*Sparholt, et al., The Allergen Specific B-Cell Response During Immunotherapy." Clinical and Experimental Allergy, 22: 648-653 (1992).				
	*Stadler, et al., "Mimotope and Anti-Idiotypic Vaccines to Induce an Anti-IgE Response", Int Arch Allergy Immunol. 118(2-4): 119-21, February-April, 1999.				
	*Stanley, et al., "Biochemistry of Food Allergens", Clin Rev. Allergy Immunol. 17(3): 279-91, 1999.				
	*Stanley, et al., "Identification and Mutational Analysis of the Immunodominant IgE Binding Epitopes of the Major Peanut Allergen Ara h 2", Arch Biochem Biophys. 342(2): 244-53, June, 1997.				
	*Stanley, et al., "Peanut Hypersensitivity. IgE Binding Characterictics of a Recombinant Ara h I Protein", Adv. Exp Med. Biol. 409: 213-6, 1996.				
	*Stanley, et al., "Mapping of the B-Cell Epitopes on Ara h 1 and Ara h II, Legume Storage Proteins and Major Allergens Involved in Peanut Hypersensitivity", Abstract.				
	*Stanley, et al., "Ara h I, A Major Allergen Involved in Peanut Hypersensitivity, Has Multiple IgE Binding Domains", Abstract.				
	*Stanley, et al., "Isolation and Quantitation of mRNA Differentially Expressed in Stimulated T Lymphocytes from Peanut Hypersensitive Individuals", Abstract.				
	*Stanworth, et al., "Allergy Treatment with a Peptide Vaccine", Lancet. 336(8726): 1279-81, November 24, 1990.				
	*Stanworth, et al., "Nomenclature for Synthetic Peptides Respresentative of Immunoglobulin Chain Sequences", <i>Bulletin WHO</i> , <b>68</b> : 109-111, 1990.				
	*Steinberger, et al., "Construction of a Combinatorial IgE Library from an Allergic Patient. Isolation and Characterization of Human IgE Fabs with Specificity for the Major Timothy Grass Pollen Allergen, Ph1 p 5", J. Biol. Chem. 271: 10967-10982, 1996.				
	*Sunderasan, et al., "Latex B-Serum β-1,3-Glucanase (Hev b II) and a Component of the Microhelix (Hev b IV) are Major Latex Allergens" J. Nat Rubb Res., 10:82-99, 1995.				
	*Suphioglu, et al., "Peptide Mapping Analysis of Group I Allergens of Grass Pollens", Int Arch Allergy Immunol. 102(2): 144-51, 1993.				

70 N. J

Mys

Examiner's Initials	OTHER DOCUMENTS (Cont.) (Including Author, Title, Date, Pertinent Pages, Etc.)			
Pull	*Suphioglu, et al., "Molecular Cloning and Immunological Characterisation of Cyn D 7, A Novel Calcium-Binding Allergen from Bermuda Grass Pollen", FEBS Letter. 402:167-172, 1997.			
	*Suphioglu, et al., "Cloning, Sequencing and Expression in Escherichia Coli of Pha a 1 and Four Isoforms of Pha a 5, The Major Allergens of Canary Grass Pollen", Clin. Exp. Allergy, 25:853-865, 1995.			
	*Sutton, et al., "Detection of IgE and IgG Binding Proteins After Electrophoresis Transfer From Polyacrylamide Gels", Journal of Immunological Methods, 52:183-86, 1982.			
	*Svirshchevskaya, et al., "Intravenous Injection of Major and Cryptic Peptide Epitopes of Ribotoxin, Asp F1 Inhibits T Cell Response Induced by Crude Aspergillus Fumigatus Antigens in Mice", 21(1): 1-8, January 1, 2000.			
	*Sward-Nordmo, et al., "The Glycoprotein Allergen Ag-54 (Cla h II) From Cladosporium Herbarum", Structural Studies of the Carbohydrate Moiety", Int. Arch. Allergy Appl. Immunol., 85:288-294, 1988.			
	*Szostak, "In Vitro Genetics", TIBS, 19:89, 1992.			
	*Takai, et al., "Engineering of the Major House Dust Mite Allergen Der f 2 for Allergen-specific Immunotherapy," Nature Biotechnology, 15:754-58 (1997).			
	*Takashi, et al., "Engineering of Hypoallergenic Mutants of the Brassica Pollen Allergen, Bra r 1, for Immunotherapy," FEBS Letters, 434: 255-260 (1998).			
	*Taniai, et al., "N-Terminal Amino Acid Sequence of a Major Allergen of Japanese Cedar Pollen (Cry j I) FEBS Letter, 239:329-332, 1988.			
	*Taylor, et al., "Peanut Oil is Not Allergenic to Peanut Sensitive Individuals", J. Allergy Clin. Immunol., 68: 372-375 (1981).			
	*Taylor, et al., "Evidence for the Ecistence of Multiple Allergens in Peanuts," J. Allergy Clin. Immunol. 69:128, 1982.			
	*Teshima, et al., "Isolation and Characterization of a Major Allergenic Component (gp55) of Aspergillus Fumigatus", J. Allergy Clin. Immunol. 92:698-706, 1993.			
	*Texier, et al., "HLA-DR Restricted Peptide Candidates for Bee Venom Immunotherapy", J. Immunol, 164(6): 3177-84, March 15, 2000.			
	*Thomas, et al., "Purification of Membrane Proteins," Meth. Enzymol., 182:499-520, 1990.			
	*Tovey, et al., "Cloning and Sequencing of a cDNA Expressing a Recombinant House Dust Mite Protein that Binds Human IgE and Corresponds to an Important Low Molecular Weight Allergen", J. Exp. Med. 170:1457-1462, 1989.			
	*Towbin, et al., "Electrophoretic Transfer of Proteins from Polyacrylamide Gels to Nitrocellulose Sheets: Procedure and Some Applications," Proc. Natl. Acad. Sci. USA, 176: 4350-54, 1979.			
	*Trudinger, et al., "cDNA Encoding the Major Mite Allergen Der f II" Clin. Exp. Allergy, 21:33-38, 1991.			
	*Twardosz, "Molecular Characterization, Expression i Escherichia Coli, and Epitope Analysis of a Two EF-Hand Calcium-Binding Birch Pollen Allergen, Bet v 4," Biochem. Biophys. Res. Commun, 239:197-204, 1997.			
	Market Market			

Examiner's Initials	OTHER DOCUMENTS (Cont.) (Including Author, Title, Date, Pertinent Pages, Etc.)		
Pork	*Valenta, et al., "cDNA Cloning and Expression of Timothy Grass (Phleum Pratense) Pollen Profilin in Escherichia Coli: Comparison with Birch Pollen Profilin", Biochem. Biophys. Res. Commun. 199: 106-118.		
	*Van Der Stoep, et al., "In vivo and in Vitro IgE Isotype Switching in Human B Lymphocytes: Evidence for a Predominantly direct IgM to IgE class Switch Program", European J. Immunol, 24 1307-1311 (1994)		
	*Van Hage-Hamsten, "Skin Test Evaluation of Genetically Engineered Hypoallergenic Derivatives of the Major Birch Pollen Allergen, Bet v 1: Results Obtained with A Mix of Two Recombinant Bet v 1 Fragments and Recombinant Bet v 1 Trimer in a Swedish Population Before the Birch Pollen Season", J Allergy Clin Immunol. 104(5): 969-77, November, 1999.		
	*Van Hage-Hamsten, et al., "N-Terminal Aminoacid Sequence of Major Allergen of the Mite Lepidoglyphus Destructor," J. Allergy Clin. Immunol. 91:353, 1993.		
:	*Van Hoeyveld, et al., "Allergenic and Antigenic Activity of Peptide Fragments in a Whey Hydrolysate Formula", 28(9): 1131-7, September, 1998.		
	*Van Kampen, et al., "Analysis of B-cell Epitopes in the N-Terminal Region of Chi t l component III using Monoclonal Antibodies," <i>MolecularImmunol.</i> 31: 1133-1140 (1994).		
	*Van Millgen, et al., "Differences Between Specificities of IgE and IgG4 Antibodies: Studies Using Recombinant Chain 1 and Chain 2 of the Major Cat Allergen Felis Domesticus (d) I. Clin Exp Allergy 25(3): 247-51, March, 1995.		
	*Van Milligen, et al., "IgE and IgG4 Binding to Synthetic Peptides of the Cat (Felis Domesticus) Maj Allergen Fel dI" Int Arch Allergy Immunol. 103(3): 274-9, 1994.		
	*Van Milligen, et al., "IgE Epitopes on the Cat (Felis Domesticus) Major Allergen Fel D I: A Study Wit Overlapping Synthetic Peptides", <i>J Allergy Clin Immunol</i> . 93(1 Pt 1): 34-43, January, 1994		
	*Van Ree, et al., "Rabbit IgG Directed to a Synthetic C-Terminal Peptide of the Major Grass Pollen Allergen Lol p I Inhibits Human Basophil Histamine Release Induced by Natural p I". Int Arch Allergy Immunol. 106(3): 250-7, March, 1995.		
	*Van Ree R, et al., "Lol p XI, a New Major Grass Pollen Allergen, is a Member of a Family of Soybean Trypsin Inhibitor-Related Protein", J. Allergy Clin Immunol. 95:970-978, 1995.		
	*Van't Hof, et al., "Epitope Mapping of the Cat (Felis Domesticus) Major Allergen Fel D I by Overlapping Synthetic Peptides and Monoclonal Antibodies Against Native and Denatured Fel D I", Allergy, 48(4) 255-63, May, 1993.		
	*Van't Hof, et al., Epitope Mapping of the Dermatophagoides Pteronyssinus House Dust Mite Major Allergen Der p II Using Overlapping Synthetic Peptides", 28(11): 1225-32, November, 1991.		
	*Varela, et al., "Primary Structure of Lep d I, the Main Lepidoglyphus Destructor Allergen", Eur J. Biochem., 225:93-98, 1994.		
	*Villalba, et al., "The Amino Acid Sequence of Ole e I, the Major Allergen From Olive Tree (Olea Europaea) Pollen", Europ. J. Biochem., 216:863-869, 1993.		
	*Vives, et al., "A Truncated HIV-1 Tat Protein Basic Domain Rapaidly Translocates Through the Plasma Membrane and Accumulates in the Cell Nucleus", <i>The Journal of Biological Chemistry</i> ", 272(25): 16010-16017, 1997.		
Examiner's	OTHER DOCUMENTS (Cont.)		
Express Mail. No. 3624520_1.DOC	EV 170893683 US  24 of 26  Atty. Docket No: 2002834-0232  Client Reference: (Bacterial Delivery DIV2)		

Initials	(Including Author, Title, Date, Pertinent Pages, Etc.)					
RA	*Voller, et al., "Enzyme-Linked Immunosorbent Assay," Manual of Clinical Laboratory Immunology, Rose, ed., Chapter 17, Third Edition, 99-109, 1986.					
	*Vrtala, "High Level Expression in Escherichia Coli and Purification of Recombinant Plant Profilins: Comparison of IgE Binding Capacity and Allergenic Activity," <i>Biochem. Biophys. Res. Comm</i> , 226: 42-50, 1996.					
	*Vrtala, et al., "Conversion of the Major Birch Pollen Allergen, Bet v 1, Into Two Nonanaphylactic T Cell Epitope-Containing Fragments: Candidates for a Novel Form of Specific Immunotherapy", J. Clin. Invest. 99(7): 1673-81, April, 1997.					
	*Vrtala, et al., "Division of the Major Birch Pollen Allergen, Bet v 1, Into Two Non-Anaphylactic Fragments", Int Arch Allergy Immunol., 113: 246-48, 1997.					
	*Wallner, et al., "Immunotherapy with T-Cell Reactive Peptides Derived from Allergens" Allergy 49(5): 302-8, May, 1994.					
	*Watanabe, et al., "Primary Structure of an Allergenic Peptide Occurring in the Chymotryptic Hydrolysate of Gluten", <i>Biosci Biotechnol Biochem</i> . <b>59(8)</b> : 1596-7, August, 1995.					
	*Weber, et al., "Characteristics of the Aspargine-Linked Oligosaccharide from Honey-Bee Venom Phospholipase A2". Comp. Biochem. Physiol. 83B: 321-324, 1986.					
	*Weber, et al., "Specific Interaction of IgE Antibodies with a Carbohydrate Epitope of Honey Bee Venom Phospholipase A2", Allergy, 42: 464-470, 1987.					
	*Wiedermann, et al., "Suppression of Antigen-Specific T- and B-Cell Responses by Intranasal or Oral Administration of Recombinant Bet v 1, The Major Birch Pollen Allergen, in a Murine Model of Type I Allergy", J. Allergy Clin Immunol., 103(6): 1202-10, June, 1999.					
	*Williams, et al., "Indentification of Epitopes Within Beta Lactoglobulin Recognised by Polyclonal Antibodies Using Phage Display and PEPSCAN", <i>J Immunol Methods</i> . 213(1): 1-17, April, 1998.					
	*Woodfolk, et al., "Trichophyton Antigens Associated with IgE Antibodies and Delayed Type Hypersensitivity", J. Biol. Chem. 273:29489-29496, 1998.					
	*Wu, et al., "Isolation and Preliminary Characterization of cDNA Encoding American Cockroach Allergens", J. Allergy Clin. Immunol., 96:352-359, 1995.					
-	*Yamamoto, et al., "DNA From Bacteria, But Not From Vertebrates, Induces Interferons, Activates Natural Killer Cells and Inhibits Tumor Growth," <i>Microbiol. Immunol.</i> 36(9): 983-97, 1992.					
	*Yang, et al., "Immunologic Characterization of a Recombinant Kentucky Bluegrass (Poapratensis) Allergenic Peptide", J Allergy Clin Immunol. 87(6): 1096-104, June, 1991.					
	*Yeang, et al., "The 14.6 kd Rubber Elongation Factor (Hev b 1) and 24 kd (Hev b 3) Rubber Particle Proteins are Recognized by IgE from Patients with Spina Bifida and Latex Allergy"  J. Allergy Clin Immunol, 98(3): 628-639, 1996.					
/	*Yssel, et al., "Peptide Induced Anergy of Human Allergen-Specific T Cells" Adv Exp. Med Biol. 409: 405-10, 1996.					
V	*Yunginger, et al., "Fatal Food-Induced Anaphylaxis," JAMA, 260: 1450-2, 1988.					

Examiner's Initials	OTHER DOCUMENTS (Cont.) (Including Author, Title, Date, Pertinent Pages, Etc.)				
TRA	*Zimmerman, et al., "CpG Oligodexoynucleotides Trigger Protective and Curative Th1 Responses in Lethal Murine Leishmaniasis," J. Immunol. 160(8): 3627-30, 1998.				
EXAMINER	DATE CONSIDERED				
EXAMINER: Initial of citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.					

(P - CZ)					
PTO-1449 O (REV. 8-83)	U.S. Department of Commerce Patent and Trademark Office		ATTY. DOCKET: 2002834-0232	IN RE APPLICATION NO.: 10/728,323	
(REV. 8-83)		APPLICANT: Caplan			
SUPPLEMENTAL			FILING DATE:	GROUP: 16	544
INFORMATIO	N DISCLOSURE S	STATEMENT	December 4, 2003		
(Use several sheets if necessary)		(ry)			
U.S. PATENT D	OCUMENTS				
Examiner's Initials	U.S. Patent No.	Applicant	Issue Date	Class	Subclass
U.S. PATENT A	PPLICATIONS				
Examiner's Initials:	Serial Number:	Applicant:	Publication Date:	Group:	Art Unit:
FOREIGN PAT	ENT DOCUMENT	rs			II Tank west some
Examiner's	Document No.	Country	Date	Translation	
Initials				Yes	No
OTHER DOCU	MENTS			<u> </u>	
Examiner's Initials	Citation (Including	g Author, Title, Date, Per	tinent Pages, Etc.)		
PM	*Amorim, et al., "Suppression of Airway Eosinophilia by Killed Mycobacterium Vaccae- Induced Allergen-Specific Regulatory T-Cells", Nature Medicine, 8(6): 625-629, 2002.				
	*Asturias, et al., "Is Tropomyosin an Allergen in Anisakis?", Allergy, 55: 898-890, 2000.				
	*Asturias, et al., "Cloning, Isolation, and IgE-Binding Properties of Helixaspersa (Brown Garden Snail) Tropomyosin", Int. Arch Allergy Immunol. 128: 90-96, 2002.				
	*Asturias, et al., "Molecular Characterization of American Cockroach Tropomyosin (Periplaneta Americana Allergen 7), a Cross-Reactive Allergen", <i>The Journal of Immunology</i> , 162: 4342-4348, 1999.				
	*Bannon, et al., "Engineering, Characterization and in Vitro Efficacy of the Major Peanut Allergens for Use in Immunotherapy", Int. Arch. Allergy Immunol, 124: 70-72, 2001.				
$\bigvee$	*Barderas, et al., "Identification and Characterization of Che a 1 Allergen from Chenopodium Album Pollen", Int. Arch. Allergy Immunol. 127: 47-54, 2002.				

Page 1 of 10

	PEW				
PTO-1449 (O)	U.S. Department of Commerce Patent and Trademark Office	ATTY. DOCKET: 2002834-0232	IN RE APPLICATION NO.: 10/728,323		
SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary) .		APPLICANT: Caplan			
		FILING DATE: December 4, 2003	GROUP: 1644		
Put	*Barnes, P.J., "IL-10: A Key Regulator of Allergic Disease", Clinical and Experimental Allergy, 31: 667-669, 2001.				
	*Bashir, et al., "An Enteric Helminth Infection Protects Against an Allergic Response to Dietary Antigen", <i>The Journal of Immunology</i> , 169: 3284-3292, 2002.				
	*Batanero, et al., "Purification, Amino Acid Sequence and Immunological Characterization of Ole e 6, a Cysteine-Enriched Allergen from Olive Tree Pollen", FEBS Letters, 410: 293-296, 1997.				
	*Beck, et al., "The Polyclonal and Antigen-Specific IgE and IgG Subclass Response of Mice Injected with Ovalbumin in Alum or Complete Freund's Adjuvant", Cellular Immunology, 123: 1-8, 1989.				
	*Bissonnette, et al., "Inhibition of Mast Cell-Mediated Cytotoxicity by IFN-α/β and -γ <sup>1</sup> ", The Journal of Immunology, 145: 3385-3390, 1990.				
	*Bock, et al., "The Natural History of Food Sensitivity", J. Allergy Clin. Immunol. 69: 173-177, 1982.				
	*Bock, et al., "Fatalities Due to Anaphylactic Reactions to Foods", J. Allergy Clin. Immunol. 107: 191-193, 2001.				
	*Brandtzaeg, et al., "Current Understanding Relation to Food Allergy", Ann. N.Y. Acad.		noregulation and Its		
	*Burks, et al., "Modification of a Major Peanut Allergen Leads to Loss of IgE Binding", Int. Arch. Allergy Immunol. 118: 313-314, 1999.				
	*Bush, et al., "Molecular Cloning of a Majo Allergy Clin. Immunol. 104: 665-671, 1999		ergen, rAlt a 2", J.		
	*Chang, et al., "Characterization of Enolase Biomed. Sci. 9: 645-655, 2002.	Allergen from Rhodotoru	la Mucilaginosa", J.		
/	*Dandeu, et al., "Hydrophobic Interaction ( Equ.c1, the Horse Major Allergen", Journa				
V	*De Jong, et al., "Identification and Partial Peanut Proteins", Clinical and Experimenta	-			

4. 42

8/2/05

PTO-1449	U.S. Department of Commerce Patent and Trademark Office	ATTY. DOCKET: 2002834-0232	IN RE APPLICATION NO.: 10/728,323
(REV. 8-83)	Fatent and Trademark Office	APPLICANT: Caplan	10/720,323
	TAL ON DISCLOSURE STATEMENT veral sheets if necessary)	FILING DATE: December 4, 2003	GROUP: 1644
Fink	*Diaz-Perales, et al., "Lipid-Transfer Prote Reactivity Among Proteins of Artemisia Po Different IgE-Binding Capacities", Clinica	ollen, Castanea Nut and Ro	saceae Fruits, with
	*Diaz-Perales, et al., "Characterization of Asparagus Allergens: A Relevant Role of Lipid Transfer Proteins", J. Allergy Clin. Immunol. 110: 790-796, 2002.		
	*Dorion, et al., "The Production of Interferon-γ in Response to a Major Peanut Allergy, Ara II, Correlates with Serum Levels of IgE Anti-Ara h II", J. Allergy Clin. Immunol. 93: 93-99, 1994.  *Durham, et al., "Immunologic Changes Associated with Allergen Immunotherapy", The Journal of Allergy and Clinical Immunology, 102(2): 157-164, 1998.  *Erb, et al., "Atopic Disorders: A Default Pathway in the Absence of Infection?", Immunol. Today, 20: 317-322, 1999.		
	*Eriksson, et al., "Cloning and Characterisation of a Group II Allergen from the Dust Mite Tyrophagus Putrescentiae", Eur. J. Biochem. 251: 443-447, 1998.		
	*Eriksson, et al., "Cloning of Three New A Destructor Using Phage Surface Display To		
	*Fahlbusch, et al., "Purification and Partial from Guinea Pig Cavia Porcellus", Allergy,		ajor Allergen, Cav p 1,
	*Fiorentino, et al., "Two Types of Mouse T Helper Cell", J. Exp. Med. 170: 2081-2095, 198		
	*Francis, et al., "Induction of IL-10 <sup>+</sup> CD4 <sup>+</sup> C Allergy Clin. Immunol. 111: 1255-1261, 20		llen Immunotherapy", J.
/	*Gafvelin, et al., "Cross-Reactivity Studies Glycyphagus Domesticus, Gly d 2, and Gro Pteronyssinus, Lepidoglyphus Destructor, a Allergens", J. Allergy Clin. Immunol. 107:	oup 2 Allergens from Dermand Tyrophagus Putrescent	atophagoides
$\bigvee$	*Giuliani, et al., "Isolation and Purification Pollen", Allergy, 42: 434-440, 1987.	of a Major Allergen from	Parietaria Officinalis

PTO-1449	U.S. Department of	ATTY. DOCKET:	IN RE		
(REV. 8-83)	Commerce Patent and Trademark Office	2002834-0232	APPLICATION NO.: 10/728,323		
(KE V. 6-63)	Tatelle and Tradellian Office	APPLICANT: Caplan	10/720,323		
SUPPLEMEN	ITAL	FILING DATE:	GROUP: 1644		
1	ON DISCLOSURE STATEMENT	December 4, 2003			
Use se	veral sheets if necessary)				
Pul	*Hansen, et al., "Vaccination with Heat-Ki Allergen-Induced Airway Hyperreactivity a 18", The Journal of Immunology, 164: 223	and Inflammation: Role of			
		*Helm, et al., "Isolation and Characterization of a Clone Encoding a Major Allergen (Bla g Bd90K) Involved in IgE-Mediated Cockroach Hypersensitivity", J. Allergy Clin. Immunol. 98: 172-180, 1996.			
	*Hilger, et al., "Sequence of the Gene Enco Gene, 169: 295-296, 1996.	*Hilger, et al., "Sequence of the Gene Encoding cat (Felis Domesticus) Serum Albumin", Gene, 169: 295-296, 1996.			
	*Himly, et al., "Art v 1, the Major Allergen of Mugwort Pollen, is a Modular Glycoprotein with a Defensin-Like and a Hydroxyproline-Rich Domain", FASEB J., 17: 106-108, 2003.				
	*Hoffman, et al., "Occupational Allergy to Bumblebees: Allergens of Bombus Terrestris", J. Allergy Clin. Immunol. 108: 855-860, 2001.				
	*Hoffman, et al., "Allergens in Hymenoptera Venom XXVII: Bumblebee Venom Allergy and Allergens", J. Allergy Clin. Immunol. 97: 812-821, 1996.				
	· · · · · ·	*Hoffman, et al., "Allergens in Bee Venom, III. Identification of Allergen B of Bee Venom as an Acid Phosphatase", J. Allergy Clin. Immunol. 59(5): 364-366, 1977.			
	*Horiuti, et al., "Variable Expression of Pathogenesis-Related Protein Allergen in Mountain Cedar (Juniperus Ashei) Pollen", <i>The Journal of Immunology</i> , <b>164</b> : 2188-2192, 2000.				
	*Horner, et al., "Identfiication of the Allergen Psi c 2 from the Basidiomycete Psilocybe Cubensis as a Fungal Cyclophilin". <i>Int. Arch Allergy Immunol.</i> 107: 298-300, 1995.				
	*Howard, et al., "Regulation of B-Cell Growth and Differentiation by Soluble Factors", Ann. Rev. Immunol. 1: 307-333, 1983.				
	*Hsu, et al., "Differential Effects of IL-4 ar and Lymphokine-Activated Killer Activity"		• •		
/	*Ichikawa, et al., "Molecular Cloning, Exp (Fel d 3), A Cysteine Protease Inhibitor", C 2001.				
V	*Jankulovic, et al "Isolation and Biochem Allergen", J. Allergy Clin. Immunol. 110: 8		haumatin-Like Kiwi		
			//		

Page 4 of 10

PTO-1449 (REV. 8-83)	U.S. Department of Commerce Patent and Trademark Office	ATTY. DOCKET: 2002834-0232	IN RE APPLICATION NO.: 10/728,323	
		APPLICANT: Caplan		
1	TAL ON DISCLOSURE STATEMENT veral sheets if necessary)	FILING DATE: December 4, 2003	GROUP: 1644	
· Jalk	*Kalliomaki, et al., "Transforming Growth Atopic Disease at an Early Age", J. Allergy			
	*Kleine-Tebbe, et al., "Severe Oral Allergy Syndrome and Anaphylactic Reactions Caused by a Bet v 1-Related PR-10 Protein in Soybean, SAM22", J. Allergy Clin. Immunol. 110: 797-804, 2002.			
	*Kowalski, et al., "Mechanisms of Specific Immunotherapy of Allergic Diseases", Allergy, 53: 485-492, 1998.			
	*Ledesman, et al., "Cloning, Expression and Characterization of a Novel Four EF-Hand Ca <sup>2+</sup> - Binding Protein from Olive Pollen with Allergenic Activity", FEBS Letter, 466: 192-196, 2000.			
	*Lee, et al., "Oral Administration of Il-12 Suppresses Anaphylactic Reactions in a Murine Model of Peanut Hypersensitivity", Clinical Immunology, 101(2): 220-228, 2001.			
	*Leung, et al., "Effect of Anti-IgE Therapy in Patients with Peanut Allergy", N. Engl. J. Med. 348: 986-993, 2003.			
	*Li, et al., "A Murine Model of Peanut Anaphylaxis: T- and B-Cell Responses to a Major Peanut Allergen Mimic Human Responses", J. Allergy Clin. Immunol. 106: 150-158, 2000.			
	*Li, et al., "Novel Approaches for the Trea and Clinical Immunology, 2: 273-278, 2002		rrent Opinion in Allergy	
	*Li, et al., "Engineered Recombinant Peanut Protein and Heat-Killed Listeria Monocytogenes Coadministration Protects Against Peanut-Induced Anaphylaxis in a Murine Model", <i>The Journal of Immunology</i> , 170: 3289-3295, 2003.			
	*Li, et al., "Strain-Dependent Induction of DNA Immunization in Mice", <i>The Journal</i>	<u> </u>	,	
	*Lombardero, et al., "cDNA Sequence Ana and Experimental Allergy, 24: 765-770, 19	•	ergen, Ole e I", Clinical	
	*Lopata, et al., "Characteristics of Hyperse 49 kd IgE-Binding Protein (Hal-m-1) in Ab 100: 642-648, 1997.			

Page 5 of 10

PTO-1449 (REV. 8-83)	U.S. Department of Commerce Patent and Trademark Office	ATTY. DOCKET: 2002834-0232	IN RE APPLICATION NO.: 10/728,323	
(ALS 1. 0-05) Latent and Trademark Office		APPLICANT: Caplan		
SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary) .		FILING DATE: December 4, 2003	GROUP: 1644	
Part	*Lorentz, et al., "Human Intestinal Mast Co Cross-Linking and In Vivo in the Course of 29: 1496-1503, 1999.			
	*Melen, et al., "Molecular Cloning of Per a 1 and Definition of the Cross-Reactive Group Cockroach Allergens", J. Allergy Clin. Immunol. 103: 859-864, 1999.			
	*Moneo, et al., "Isolation and Characteriza Processionary Caterpillar Thaumetopoea Pi	<u>.</u> ,		
	*Moneo, et al., "Isolation and Characterization of a Major Allergen from the Fish Parasite Anisakis Simplex", J. Allergy Clin. Immunol. 106: 177-182, 2000.			
	*Monsalve, et al "Detection, Isolation and Complete Amino Acid Sequence of an Aeroallergenic Protein from Rapeseed Flour", Clinical and Experimental Allergy, 27: 833-84 1997.			
	*Morafo, et al., "Genetic Susceptibility to Food Allergy is Linked to Differential T <sub>H</sub> <sup>2</sup> -T <sub>H</sub> <sup>1</sup> Responses in C3H/HeJ and BALB/c Mice", J. Allergy Clin. Immunol. 111: 1122-1128, 2003.  *Mosmann, et al., "Thi and Th2 Cells: Different Patterns of Lymphokine Secretion Lead to Different Functional Properties", Ann. Rev. Immunol. 7: 145-173, 1989.  *Mutius, et al., "The Environmental Predictors of Allergic Disease", J. Allergy Clin. Immunol. 105: 9-19, 2000.			
	*Onishi, et al., "Two-Dimensional Electrop Dermatitis and Isolation of Mal f 4 Homolo Eur. J. Biochem. 261: 148-154, 1999.		•	
	*Onizuka, et al., "Purification of the Major Nipponica)", Int. Arch. Allergy Immunol, 1	_	l (Dendronephthya	
	*Oppenheimer, et al., "Treatment of Peanus Clin. Immunol. 90: 256-262, 1992.	t Allergy with Rush Immun	otherapy", J. Allergy	
	*Paddock, et al., "Identification, Cloning, a Triatomine Allergen", The Journal of Immu			
	*Palosuo, et al., "Wheat ω-5 Gliadin is a M to Ingested Wheat", J. Allergy Clin. Immun		vith Immediate Allergy	

TJ n. fr

8/m/s

PTO-1449 (REV. 8-83)	U.S. Department of Commerce Patent and Trademark Office	ATTY. DOCKET: 2002834-0232	IN RE APPLICATION NO.: 10/728,323	
(LEV. 0-05)		APPLICANT: Caplan		
SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)		FILING DATE: December 4, 2003	GROUP: 1644	
· Put	*Pastorello, et al., "The Major Allergen of Albumin", Journal of Chromatography B,	•	ndicum) is a 2S	
	*Pastorello, et al., "Allergenic Cross-Reactivity Among Peach, Apricot, Plum, and Cherry i Patients with Oral Allergy Syndrome: An In Vivo and in Vitro Study", J. Allergy Clin. Immunol. 94: 699-707, 1994.			
	*Pierkes, et al., "Decreased Release of Histamine and Sulfidoleukotrienes by Human Peripheral Blood Leukocytes After Wasp Venom Immunotherapy is Partially Due to Induction of IL-10 and IFN-γ Production of T Cells", J. Allergy Clin. Immunol. 103: 326-332, 1999.  *Pomes, et al., "Novel Allergen Structures with Tandem Amino Acid Repeats Derived from German and American Cockroach", The Journal of Biological Chemistry, 273(46): 30801-30807, 1998.			
	*Ramos, et al., "cDNA Cloning and Expression of Blo t 11, the Blomia Tropicalis Allergen Homologous to Paramyosin", Int. Arch. Allergy Immunol. 126: 286-293, 2001.			
	*Rasool, et al., "Cloning, Characterization and Expression of Complete Coding Sequences of Three IgE Binding Malassezia Furfur Allergens, Mal f 7, Mal f 8 and Mal f 9", Eur. J. Biochem. 267: 4355-4361, 2000.			
	*Romagnani, et al., "The Role of Lymphoc 105: 399-408, 2000.	ytes in Allergic Disease",	I. Allergy Clin. Immunol.	
	*Rook, et al., "Give us this Day our Daily (	Germs", Immunology Toda	y, <b>19</b> : 113-116, 1998.	
	*Saarinen, et al., "Transforming Growth Fa Responses to Cows' Milk Proteins in Infan Immunol. 104: 1093-1098, 1999.	•		
	*Saarne, et al., "Cloning and Characterisati Tropomyosin and α-Tubulin, from the Mite Immunol. 130: 258-265, 2003.	_	•	
	*Sampson, et al., "Fatal and Near-Fatal An Adolescents", N. Engl. J. Med. 327: 380-38		od in Children and	
	*Sampson, Hugh., "Food Allergy. Part 1: In Journal of Allergy and Clinical Immunolog		linical Disorders", The	

Sprife

PTO-1449 (REV. 8-83)	U.S. Department of Commerce Patent and Trademark Office	ATTY. DOCKET: 2002834-0232	IN RE APPLICATION NO.: 10/728,323	
(165 115 55)	2 2000	APPLICANT: Caplan		
SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary) .		FILING DATE: December 4, 2003	GROUP: 1644	
D.K	*Sanchez-Monge, et al., "Isolation and Cha Lentils", J. Allergy Clin. Immunol. 106: 95		Allergens from Boiled	
	*Santos, et al., "Cockroach Allergens and Asthma in Brazil: Identification of Tropomyosin a a Major Allergen with Potential Cross-Reactivity with Mite and Shrimp Allergens", J. Allerg Clin. Immunol. 104: 329-337, 1999.			
	*Saxena, et al., "cDNA Cloning, Expression and Characterization of an Allergenic L3 Ribosomal Protein of Aspergillus Fumigatus" Clin. Exp. Immunol, 134: 86-91, 2003.			
	*Schade, et al., "Differences In Antigen-Specific T-Cell Responses Between Infants with Atopic Dermatitis with and without Cow's Milk Allergy: Relevance of T <sub>H</sub> 2 Cytokines", J. Allergy Clin. Immunol. 106: 1155-1162, 2000.			
	*Shen, et al., "Characterization of Allergens from Penicillium Oxalicum and P. Notatum by Immunoblotting and N-Terminal Amino Acid Sequence Analysis", Clinical and Experimental Allergy, 29: 642-651, 1999.			
	*Shen, et al., "Molecular Cloning and Immunological Characterization of the House Dues Mite Allergen Der f 7", Clinical and Experimental Allergy, 25: 1000-1006, 1995.			
	· · · · · · · · · · · · · · · · · · ·	"Prevalence of Peanut and Tree Nut Allergy in the US Determined by a ial Telephone Survey", J. Allergy Clin. Immunol. 103: 559-562, 1999.		
	*Smith, et al., "Sequence Polymorphisms and Antibody Binding to the Group 2 Dust Mite Allergens", Int. Arch. Allergy Immunol. 124: 61-63, 2001.		e Group 2 Dust Mite	
	*Smith, et al., "The Molecular Basis of Antigenic Cross-Reactivity Between the Group 2 Mite Allergens", J. Allergy Clin Immunol. 107: 977-984, 2001.			
	*Snapper, et al., "Interferon-y and B Cell S Isotype Production", Science, 236: 944-947		ocally Regulate Ig	
	*Sommergruber, et al., "Molecular Charact Protein from Carrot and its Cross-Reactivit Experimental Allergy, 29: 840-847, 1999.			
	*Stanley, et al., "Identification and Mutatio Epitopes of the Major Peanut Allergen Ara 342(2): 244-253, 1997.			

M n. 8

Vnos

PTO-1449 (REV. 8-83)	U.S. Department of Commerce Patent and Trademark Office	ATTY. DOCKET: 2002834-0232	IN RE APPLICATION NO.: 10/728,323	
		APPLICANT: Caplan		
SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary) .		FILING DATE: December 4, 2003	GROUP: 1644	
· P.K	*Strobel, et al., "Immune Responses to Dietary Antigens: Oral Tolerance", Immunolog Today, 19: 173-181, 1998.			
1	*Strobel, et al., "Oral Tolerance, Systemic Immunoregulation, and Autoimmunity" Ann. N.Y. Acad. Sci. 958: 47-58, 2002.			
	*Tejera, et al., "Identification, Isolation, and Characterization of Ole e 7, a New Allergen of Olive Tree Pollen", J. Allergy Clin Immunol, 104: 797-802, 1999.			
	*Tinghino, et al., "Molecular Characterization of a Cross-Reactive Juniperus Oxycedrus Poller Allergen, Jun o 2: A Novel Calcium-Binding Allergen", J. Allergy Clin Immunol, 101: 772-777, 1998.			
	*Tsai, et al., "Sequence Analysis and Expression of a cDNA Clone Encoding a 98-kDa Allergen in Dermatophagoides Farinae", Clinical and Experimental Allergy, 29: 1606-1613, 1999.			
	*Turcanu, et al., "Characterization of Lymphocyte Responses to Peanuts in Normal Children, Peanut-Allergic Children, and Allergic Children who Acquired Tolerance to Peanuts", <i>The Journal of Clinical Investigation</i> , 111(7): 1065-1072, 2003.			
	*Weiner, et al., "Oral Tolerance: Immune Mechanisms and Treatment of Autoimmune Diseases", <i>Immunology Today</i> , 18: 335-343, 1997.			
	*Wopfner, et al., "Molecular and Immunol Pollen", Biol. Chem. 383: 1779-1789, 2002		Profilin from Mugwort	
	*Wu, et al., "Sequencing Analysis of cDNA Clones Encoding the American Cockroach Cr-PI Allergens", The Journal of Biological Chemistry, 271(30): 17937-17943, 1996.			
	*Wu, et al., "Cloning of the American Coc of Cross-Reactive Allergens Between Spec			
	*Wu, et al., "Sequencing and Immunochen Per a 3 (Cr-PI) Isoallergenic Variants", Mo			
	*Xu, et al., "Cloning, Expression and Imm Allergen of Rice Pollen", Gene, 164: 255-2		n of Ory s 1, the Major	
<b>V</b>	*Yasueda, et al., "Identification and Clonin Yeast, Malassezia Furfur", Biochemical an			

Page 9 of 10

PTO-1449 (REV. 8-83)	U.S. Department of Commerce Patent and Trademark Office	ATTY. DOCKET: 2002834-0232	IN RE APPLICATION NO.: 10/728,323	
	TAL ON DISCLOSURE STATEMENT veral sheets if necessary)	APPLICANT: Caplan  FILING DATE: GROUP: 1644  December 4, 2003		
RIF	244, 1998.	<del></del>	<u> </u>	
		Yeung, et al., "Heat-Killed Listeria Monocytogenes as an Adjuvant Converts Established Murine Th2-Dominated Immune Responses into Th1-Dominated Responses", <i>The Journal of Immunology</i> , 161: 4146-4152, 1998.		
	· · · · · · · · · · · · · · · · · ·	I Unique Immunoglobulin E Epitopes of the Highly opicalis and Dermatophagoides Pteronyssinus", Clin.		
	*Yocum, et al., "Epidemiology of Anaphyl Study", J. Allergy Clin. Immunol. 104: 452	•	Population-Based	
/	*Yokoyama, et al., "Purification, Identification, and cDNA Cloning of Jun a 2, the Secondary Allergen of Mountain Cedar Pollen", Biochemical and Biophysical Research Communications, 275: 195-202, 2000.			
	*Yu, et al., "Proteomics and Immunological Analysis of a Novel Shrimp Allergen, Pen M 2", The Journal of Immunology, 170: 445-453, 2003.			

**EXAMINER** 

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.